266 MIDDLE STREET WINDOW REPLACEMENT PACKAGE

Historic District Commission Work Session / Public Hearing - November 2021, Portsmouth, New Hampshire

GENERAL PROJECT DESCRIPTION:

PROPOSED WORK:

REMOVE ALL EXISTING VINYL WINDOWS AND WOOD KITCHEN WINDOWS. TO BE REPLACED WITH ANDERSEN 400 SERIES WOODWRIGHT WINDOWS WITH HALF SCREENS, MUNTIN PATTERNS TO MATCH HISTORICAL IMAGE ON SHEET A4 AND BE SIMULATED DIVIDED LIGHTS (2 OVER 2 AND 1 OVER 1)

| SHEET LIST | | | | | | |
|--------------|---------------------------------|--|--|--|--|--|
| Sheet Number | Sheet Name | | | | | |
| | | | | | | |
| С | COVER | | | | | |
| A1 | EXISTING IMAGES | | | | | |
| A2 | EXISTING IMAGES | | | | | |
| A3 | EXISTING IMAGES | | | | | |
| A4 | HISTORICAL IMAGE | | | | | |
| APPENDIX 01 | ANDERSEN 400 SERIES INFORMATION | | | | | |
| | | | | | | |



10/22/2021 9:34:58 AM





IMAGE OF LEFT SIDE ELEVATION

| WINDOW REPACEMENT PACKAGE 266 MIDDLE STREET | | | McHENRY ARCHITECTURE |
|--|-----------------|------------|-------------------------|
| PORTSMOUTH, NH 03801 | Project Number: | 18041 | |
| | Date: | 11/03/2021 | A1 |
| EXISTING IMAGES | Drawn By: | RD | |
| | Checked By: | MG | Scale |

10/22/2021 9:34:56 AM



IMAGE OF LEFT SIDE ELEVATION

| WINDOW REPACEMENT PACKAGE 266 MIDDLE STREET | | | McHENRY ARCHITECTURE |
|--|-----------------|------------|-------------------------|
| PORTSMOUTH, NH 03801 | Project Number: | 18041 | |
| | Date: | 11/03/2021 | A2 |
| EXISTING IMAGES | Drawn By: | RD | |
| | Checked By: | MG | Scale |

10/22/2021 9:34:57 AM



IMAGE OF REAR ELEVATION



IMAGE OF RIGHT SIDE AND REAR ELEVATION

| WINDOW REPACEMENT PACKAGE 266 MIDDLE STREET | | | McHENRY ARCHITECTURE |
|--|-----------------|------------|-------------------------|
| PORTSMOUTH, NH 03801 | Project Number: | 18041 | |
| | Date: | 11/03/2021 | A3 |
| EXISTING IMAGES | Drawn By: | RD | |
| | Checked By: | MG | Scale |

10/22/2021 9:34:57 AM



IMAGE OF FRONT ELEVATION (UNKNOWN DATE)

| WINDOW REPACEMENT PACKAGE 266 MIDDLE STREET | | | McHENRY ARCHITECTURE |
|--|-----------------|------------|-------------------------|
| PORTSMOUTH, NH 03801 | Project Number: | 18041 | |
| | Date: | 11/03/2021 | A4 |
| HISTORICAL IMAGE | Drawn By: | RD | |
| | Checked By: | MG | Scale |

10/22/2021 9:34:58 AM





MATCH ANY HOME DESIGN

From contemporary design to traditional and classic architecture, 400 Series products offer a time-tested blend of engineering and craftsmanship, combined with a variety of style options that can elevate a classic wood window into a stunning focal point in any home style. Visit our Home Style Library at **andersenwindows.com/stylelibrary**.

TRADITIONAL DESIGN

Traditional home design remains true to the history, authenticity and character of home styles that date back decades or even centuries. The classic design of Andersen[®] 400 Series windows and patio doors complement traditional style homes.



DOUBLE-HUNG WINDOWS

Bring fresh air in while not interfering with patios or walkways. Plus, with tilt-in features, cleaning double-hung windows from inside your home is easy. Woodwright® double-hung windows are built with authentic craftsmanship to help replicate the look of classic architecture. They allow you to retain or add charm to your home with beautiful wood interiors and an array of style options. Tilt-wash double-hung windows offer classic styling with thinner profiles and the perfect balance of modern and traditional design. Their classic blend of engineering and craftsmanship, along with energy efficiency, makes them our best-selling double-hung window.

- Low-maintenance exterior cladding protects the unit while wood interiors offer beauty and warmth
- Dual layer weatherstrip helps seal out dust, wind and water
- Available in custom size insert windows for easy replacement or full-frame windows for new construction and remodeling projects

Double-hung windows have two operating sash (glass panels) that move up and down allowing for ventilation on the top, bottom or both.



PATIO DOORS

Designed to bring nature's beauty inside while enhancing the style and personality of your home. Frenchwood® hinged inswing patio doors are designed to open into a room and save space for smaller exterior areas. Frenchwood gliding patio doors are ideal for any climate, they glide horizontally so not to interfere with your room.

- Experience smooth, long-lasting^{*} operation with adjustable ball-bearing rollers and a durable stainless-steel capped track on gliding doors. Hinged doors feature adjustable hinges, so you can easily fine tune the position of our door panel.
- Weatherstrip is designed to seal our air and water infiltration
- Secure locking systems tighten the door against the frame for improved security and weather protection
- Optional blinds-between-the-glass offer privacy and are protected from dust and damage and never need cleaning
- Available in custom sizes for replacement projects

*Visit and ersenwindows.com/warranty for details.

GLASS OPTIONS

Glass can affect energy efficiency more than any other part of a window or patio door - and not all glass performs the same. Andersen offers one of the industry's widest array of glass options, so you're sure to find the right choice for your climate and your home. Choose from these High-Performance glass options.

| | | ENER | RGY | LIGHT | | | |
|--|---|--|---|--|---|--|--|
| | GLASS | U-Factor How well a product prevents heat from escaping. | Solar Heat Gain Coefficient How well a product blocks heat caused by sunlight. | Visible Light Transmittance How much visible light comes through a product. | UV Protection How well a product blocks ultraviolet rays. | | |
| SmartSun™ | Thermal control similar to tinted glass, with visible light transmittance similar to Low-E4 glass. | | • • • • | | • • • • | | |
| SmartSun with HeatLock® Coating | Applied to the room-side surface, it reflects heat back into the home and improves U-Factors. | | | | | | |
| Low-E4® | Outstanding overall performance for climates where both heating and cooling costs are a concern. | | | | | | |
| Low-E4 with HeatLock Coating | Applied to the room-side surface, it reflects heat back into the home and improves U-Factors. | | | | | | |
| Sun | Outstanding thermal control in southern climates where less solar heat gain is desired. | | • • • • | • • • • • | | | |
| PassiveSun [®] | CassiveSun® Ideal for northern, passive solar construction applications where solar heat gain is desired. | | • • • • • | | | | |
| PassiveSun with HeatLock Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factors. | | | • • • • • | | | | |
| Clear Dual-Pane | High visibility with basic thermal performance. | • • • • • | 0000 | | 0000 | | |

Center of glass performance only. Ratings based on glass options as of March 2019. Visit and ersenwindows.com/energystar for ENERGY STAR® map and NFRC total unit performance data.



Additional glass options are also available. Visit andersenwindows.com/glass or see your Andersen supplier.

ADDITIONAL GLASS OPTIONS

Blinds-between-the-glass are available on select Frenchwood® gliding and hinged patio doors. Tempered safety glass, standard on patio doors.

Laminated glass for added strength, enhanced security and sound control.

Patterned glass lets in light while obscuring vision and adds a unique, decorative touch. Cascade and Reed patterns can be ordered with either a vertical or horizontal orientation.



Obscure



With art glass from Andersen, you can add interest, create focal points and make your work stand out. These finely crafted inserts are available in two distinctly different series -Classic and Artisan – to complement any home's architecture. For more information, visit andersenwindows.com/artglass.



STORMWATCH® PROTECTION

Most Andersen 400 Series windows are available with impact-resistant glass and structural upgrades to meet the tough building codes of hurricane-prone coastal areas. See your local code official for specific requirements. Visit andersenwindows.com/coastal for more details.





EXTERIOR & INTERIOR OPTIONS

Our Perma-Shield® exterior cladding system, a time-tested Andersen innovation, offers low maintenance and durability while also providing an attractive appearance. The interiors of all 400 Series windows and patio doors are available in unfinished staingrade pine or with a long-lasting, low-maintenance white finish. Select windows are also available with a dark bronze or black** finish. 400 Series Woodwright® windows and Frenchwood® patio doors are also available with unfinished oak or maple interiors.



*Visit andersenwindows.com/warranty for details. **Some products are not available in all colors or wood species. See your Andersen supplier for details.

†Dark bronze and black interior units have matching exteriors.

‡Not available on 400 Series Woodwright double-hung windows.

Printing limitations prevent exact replication of colors and finishes. See your Andersen supplier for actual color and finish samples.

GRILLE OPTIONS

A variety of grille patterns, widths and configurations fit any architectural style and help you create your vision. When remodeling or replacing, they play an important role in preserving the style of your home which is why we also offer custom patterns.



Cross section of grilles showing standard widths and profiles. Additional patterns available, see your Andersen supplier for details.

INSECT SCREEN OPTIONS

Choose our TruScene® insect screen for a beautifully unobstructed view with 400 Series windows. TruScene insect screens let in over 25% more fresh air and provide 50% greater clarity than conventional Andersen insect screens, all while keeping out unwanted small insects. Conventional aluminum insect screens are also available for

400 Series windows. 400 Series patio doors are available with conventional fiberglass insect screens.

HALF SCREENS ONLY



3/4"



SOLD BY:

SOLD TO:

,

QUOTE DATE 10/15/2021

Ricci Supply Company, Inc. Portsmouth 105 Bartlett St Portsmouth, NH 03801-7608 Fax: 603-427-2893

Abbreviated Quote Report - Customer Pricing

| | | addio nopi | | nomg | | | | | |
|--------|---------------|----------------------|--|-------------------------------|---------------------|-------------------|--------------------------|------------------|------------|
| (| | E | PROJECT NAME | QUOTE N | UMBER | CUST | OMER PO# | TRADE I | ט |
| D | DAVEY / BOSEN | | SEN LAW OFFICE | 1429 | 9842 | | | | |
| OR | DER NOTES | | | | DELIVERY NOTES: | | | | |
| | | ltem | Qty | Operation | | | <u>Location</u> | Unit Price | Ext. Price |
| | | 100 | 1 | AA | | R | ECEPTION | | |
| | E R | RO Size | = 19 1/2" x 71" | Unit Size = 19 1/8" x 70 3/4" | | | | | |
| | | Frame, Whi | //8"X5' 10 3/4", Unit, 8 De te Exterior Sash/Panel, P E4 Standard Argon Fill Tra | ine w/White - F | ainted Inter | ior Frame, Pine w | /White - Painted Interio | or Sash/Panel, / | AA, Dual |
| | | Insect Scre White | en 1: 400 Series Woodwr | right Double-Hu | ung-WW I , W | /DHI 19.125 x 70. | 75 8 Degrees - Modera | ate Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening/Unit | # Width | Height | Area (Sq. Ft) | Comments | s: | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

Quote #: 1429842

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 1 of 15

| | | ltem | Qty | <u>Operation</u> | | | <u>Location</u> | Unit Price | Ext. Price |
|--------|----------|--------------------------|--|---------------------------------|----------------------------|---------------------------------------|---|----------------------------------|-----------------|
| | | 200 | 1 | AA | | F | RECEPTION | | |
| | 100 H | RO Size | = 19 3/4" x 71" | I | Unit Size = | 19 3/8" x 70 3/4 | ." | | |
| | - 19.375 | Frame, Whi Pane Low-E | 5/8"X5' 10 3/4", Unit, 8 Degru te Exterior Sash/Panel, Pine 4 Standard Argon Fill Tradi en 1: 400 Series Woodwrig | e w/White - P tional, 1 Sasl | ainted Inter n Locks Wh | ior Frame, Pine v ite, White/White | w/White - Painted Interio Jamb Liner, White, Full \$ | or Sash/Panel, Screen, Alumir | AA, Dual ium |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments | 5: | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |
| | | Item | Qty | Operation | | | Location | Unit Price | Ext. Price |

| | | <u>ltem</u> | Qty | Operation | | Loc | <u>cation</u> | Unit Price | Ext. Price |
|---------|----------|---------------------|---|------------------|---------------|----------------------|------------------------|-----------------|------------|
| | | 300 | 1 | AA | | RECI | EPTION | | |
| E u | 4 | RO Siz | e = 36" x 71" | | Unit Size = | 35 5/8" x 70 3/4" | | | |
| 12 - CM | 38.625 | Frame, Wh | 1 5/8"X5' 10 3/4", Unit, 8 Deg nite Exterior Sash/Panel, Pin -E4 Standard Argon Fill Trad | e w/White - F | Painted Inter | ior Frame, Pine w/Wł | hite - Painted Interio | or Sash/Panel, | AA, Dual |
| | | Insect Scr White | reen 1: 400 Series Woodwrig | iht Double-Hi | ung-WWI, W | /DHI 35.625 x 70.75 | 8 Degrees - Modera | ate Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments | s: | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 2 of 15

| | | Item | Qty | | <u>Operation</u> | | | Location | <u>Unit Price</u> | <u>Ext. Price</u> |
|---|----------|---------------------|--|------------------------------------|-------------------------------|--------------------------|--|--|------------------------------|-------------------|
| | | 400 | 2 | | AA | | CONF | ERENCE ROOM | | |
| | F.p. | RO S | ize = 19 5/8" x 7 | 1" | Unit Size = | | 19 1/4" x 70 3/4 | • | | |
| | | Frame, \ Pane Lo | White Exterior Sa w-E4 Standard A | sh/Panel, Pine rgon Fill Tradit | w/White - Pa ional, 1 Sash | ainted Inter Locks Wh | ior Frame, Pine v ite, White/White. | Double-Hung-WWI, Equa v/White - Painted Interior lamb Liner, White, Full So 75 8 Degrees - Moderate | Sash/Panel, creen, Alumin | AA, Dual um |
| Unit # | U-Factor | SHGC | Clear Op | pening/Unit # | Width | Height | Area (Sq. Ft) | Comments: | | |
| A1 | 0.3 | 0.31 | | A1 | 0.00000 | 0.00000 | 0.00000 | | | |
| | | ltem | <u>Qty</u> | | <u>Operation</u> | | | Location | Unit Price | Ext. Price |
| | | 500 | 2 | | AA | | CONF | ERENCE ROOM | | |
| RO Size = 35 3/4" x 71" Unit Size = 35 3/8" x 70 3/4" | | | | | | | | | | |
| ON | Û | Frame, \ | WDHI 2' 11 3/8"X5' 10 3/4", Unit, 8 Degrees - Moderate, 400 Series Woodwright Double-Hung-WWI, Equal Sash, White Exterior Frame, White Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, AA, Dual Pane Low-E4 Standard Argon Fill Traditional, 2 Sash Locks White, White/WhiteJamb Liner, White, Full Screen, Aluminum | | | | | | | |

| Unit # | U-Factor | White SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: |
|--------|----------|---------------|----------------------|---------|---------|---------------|-----------|
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 | |

Insect Screen 1: 400 Series Woodwright Double-Hung-WWI, WDHI 35.375 x 70.75 8 Degrees - Moderate Full Screen Aluminum

Quote #: 1429842

- 35.375

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 3 of 15



| Item | <u>Qty</u> | Operation | Location | <u>Unit Price</u> | Ext. Price |
|---------------|----------------|--|--|-------------------|-------------|
| 600 | 4 | AA | SHIP ROOM | | |
| RO Size = | 19 5/8" x 70 | 1/4" Unit Size = 19 | 1/4" x 70" | | |
| White Exterio | r Sash/Panel | it, 8 Degrees - Moderate, 400 Series Wo , Pine w/White - Painted Interior Frame, aditional, 1 Sash Locks White, White/Wh | Pine w/White - Painted Interior Sash/F | Panel, AA, Dua | |
| Insect Screer | n 1: 400 Serie | es Woodwright Double-Hung-WWI, WDł | II 19.25 x 70 8 Degrees - Moderate Fi | ull Screen Alun | ninum White |

| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: |
|--------|----------|------|----------------------|---------|---------|---------------|-----------|
| | | | | | | | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 | |

| | | ltem | <u>Qty</u> | Operation | | Lo | ocation | Unit Price | Ext. Price |
|---|---------------|-----------|---|------------------|--------------|---------------------|-------------------------|----------------|------------|
| | | 700 | 1 | AA | | SHIP CONF | ERENCE ROOM | | |
| 10 - 70 10 - 10 | - U | RO Size | e = 35 1/2" x 70" | | Unit Size = | | | | |
| - No | Û - 35,125 | Frame, Wh | 1/8"X5' 9 3/4", Unit, 8 Degr ite Exterior Sash/Panel, Pine E4 Standard Argon Fill Tradi | e w/White - P | ainted Inter | ior Frame, Pine w/V | Vhite - Painted Interio | r Sash/Panel, | AA, Dual |
| Insect Screen 1: 400 Series Woodwright Double-Hung-WWI, WDHI 3 White | | | | | | | 5 8 Degrees - Modera | te Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments | : | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.0000 | | | |

Quote #: 1429842

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 4 of 15

| | | ltem | Qty | Operation | | | <u>Location</u> | <u>Unit Price</u> | Ext. Price |
|----------|---|---|---|--|--|---|--|----------------------------------|------------------------|
| | | 800 | 1 | AA | | В | REAK ROOM | | |
| | 5.8 | RO Size = | = 17 3/4" x 71" | I | Unit Size = | 17 3/8" x 70 3/ | 4" | | |
| | 9 K - 17,375 - | Frame, White Pane Low-E4 | 8"X5' 10 3/4", Unit, 8 Degi Exterior Sash/Panel, Pin Standard Argon Fill Trad | e w/White - Pa litional, 1 Sash | ainted Inter Locks Wh | ior Frame, Pine ite, White/White | w/White - Painted Interior Jamb Liner, White, Full S | Sash/Panel, creen, Alumin | AA, Dual um |
| | | White | n 1: 400 Series Woodwrig | · | 0 | | 0 | | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: | | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |
| | | <u>ltem</u> 900 | Qty | Operation Left-Right | | | Location REAK ROOM | <u>Unit Price</u> | <u>Ext. Price</u> |
| + 60-32 | 1 23.25 - 0 - 23 - 47.25 - R0 - 48 | RO Size = Mull: Factory ACW2028-2, Pine w/White Standard Arc Wrapping: 6 | - 48" x 32" Mulled, Reinforced Join - Unit, A Series Casement, - Painted Interior Frame, Jon Fill Contemporary Folo 9/16" Interior Extension Ja | Factory Asse , 4 9/16" Fram Pine w/White ding, White, W | mbled Ribb e Depth, Si - Painted Ir /hite, Full S | 47 1/4" x 31 1 / pon Mull, 3/4" 4 9 tandard Flange, nterior Sash/Par creen, Aluminur | 4" 9/16" Fiberglass Reinforce White Exterior Frame, WI nel, Unit 1: Left, Unit 2: Rig n | nite Exterior S ght, Dual Pan | ash/Panel, e Low-E4 |
| | | Insect Scree Hardware: A Insect Scree | CW Contemporary Foldin on 1: A Series Casement, a CW Contemporary Foldin on 1: A Series Casement, a amb 1: ACW 47.25 x 31.25 Site Applied | ACW2028 Ful g White PN:04 ACW2028 Ful | l Screen Al 400208 I Screen Al | uminum White | White - Painted 6 9/16" C | omplete Unit | Extension |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments | | |
| A1 B1 | 0.27 0.27 | 0.27 0.27 | A1 B1 | 13.8125 13.8125 | 25.6250 25.6250 | 2.46000 2.46000 | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 5 of 15

| | | ltem | <u>Qty</u> | <u>Operation</u> | | Loca | ation | Unit Price | Ext. Price |
|-------------------|----------------------------|--|---|--|---|--|---|---|--------------------------------|
| | | 1000 | 1 | Left-Right | | BREAK | ROOM | | |
| 2 | | RO Size = | 59 3/4" x 40" | I | Unit Size = | 59" x 39 1/4" | | | |
| 201-10 100-100 | 29.125 0 29. RO - 59.75 | ACW 2' 5 1/8" Frame, White Unit 2: Right, I | Mulled, Reinforced Join - X3' 3 1/4"-ACW 2' 5 1/8"X Exterior Sash/Panel, Pine Dual Pane Low-E4 Standa /16" Interior Extension Ja | (3' 3 1/́4", Un e w/White - Pa ard Argon Fill | it, A Series ainted Inter Contempo | Casement, 4 9/16" Fr ior Frame, Pine w/Wh rary Folding, White, W | ame Depth, Stand ite - Painted Interio /hite, Full Screen, | lard Flange, Wh or Sash/Panel, Aluminum | iite Exterior Unit 1: Left, |
| | | Insect Screer Hardware: A0 Insect Screer | CW Contemporary Folding 1 1: A Series Casement, A CW Contemporary Folding 1 1: A Series Casement, A mb 1: ACW 59 x 39.25 Int ied | CW 29.125 > 3 White PN:04 CW 29.125 > | < 39.25 Full 400208 < 39.25 Full | Screen Aluminum Wh | nite | mplete Unit Ext | ension Jarr |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comment | s: | |
| A1 B1 | 0.27 0.27 | 0.27 0.27 | A1 B1 | 18.1810 18.1810 | 33.5970 33.5970 | 4.24190 4.24190 | | | |
| | | Item | Qty | Operation | | Loca | ation | Unit Price | Ext. Pric |
| | | | | | | FIRST FLOOR F | | | |
| | | 1100 | 1 | AA | | FIRST FLOOR | | | |
| | 8 | | 1 17 3/8" x 56 1/4" | | Unit Size = | | | | |
| | | RO Size = WDHI 1' 5"X4' White Exterior | - | derate, 400 S te - Painted Ir | eries Wood | 17" x 56" Iwright Double-Hung-\ ie, Pine w/White - Pai | WWI, Equal Sash, nted Interior Sash/ | Panel, AA, Dua | |
| | | RO Size = WDHI 1' 5"X4' White Exterior E4 Standard A Insect Screer | 17 3/8" x 56 1/4" 8", Unit, 8 Degrees - Moo Sash/Panel, Pine w/Whit Argon Fill Traditional, 1 Sa 1: 400 Series Woodwrigl | derate, 400 S te - Painted Ir ash Locks Wh ht Double-Hu | teries Wood Interior Fram Inte, White/\ ng-WW I , W | 17" x 56" Iwright Double-Hung-V Ie, Pine w/White - Pail VhiteJamb Liner, Whit 'DHI 17 x 56 8 Degree | WWI, Equal Sash, nted Interior Sash, ie, Full Screen, Alt es - Moderate Full | /Panel, AA, Dua uminum Screen Alumini | I Pane Lov |
| Unit # | | RO Size = WDHI 1' 5"X4' White Exterior E4 Standard A | 17 3/8" x 56 1/4" 8", Unit, 8 Degrees - Moo Sash/Panel, Pine w/Whit Argon Fill Traditional, 1 Sa | derate, 400 S te - Painted Ir ash Locks Wh | eries Wood nterior Fram nite, White/\ | 17" x 56" Iwright Double-Hung-V Ie, Pine w/White - Pail VhiteJamb Liner, Whit | WWI, Equal Sash, nted Interior Sash/ ie, Full Screen, Alt | /Panel, AA, Dua uminum Screen Alumini | al Pane Lov |

Quote #: 1429842 Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 6 of 15



| Item | Qty | Operation | Location | Unit Price | Ext. Price |
|------------------|--------------|---|--------------------------------------|-----------------|-------------|
| 1200 | 1 | AA | MAIL STATION | | |
| RO Size = | 17 3/4" x 58 | 1/4" Unit Size = 17 | 3/8" x 58" | | |
| White Exterio | r Sash/Panel | it, 8 Degrees - Moderate, 400 Series Woo , Pine w/White - Painted Interior Frame, F aditional, 1 Sash Locks White, White/Whit | ine w/White - Painted Interior Sash/ | Panel, AA, Dua | |
| Insect Scree | | es Woodwright Double-Hung-WWI, WDH | 0 | Full Screen Alu | minum White |

| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: |
|--------|----------|---------------|--------------------------|-------------|--------------|----------------------|--|
| | | Insect Screen | 1: 400 Series woodwright | (Double-Hu | ng-vvvvi, vv | /DHI 17.375 X 58 8 D | egrees - Moderate Full Screen Aluminum white |

| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 |
|----|-----|------|----|---------|---------|---------|
| | | | | | | |

| | | ltem | Qty | Operation | | Loc | cation | Unit Price | Ext. Price |
|--------|----------|----------------------|------------------------------|---|------------|---------------------|---------------------|----------------|------------|
| | | 1300 | 1 | AA | | JOHN'S | S OFFICE | | |
| 1.0 | 4 | RO Size | e = 36" x 71" | Unit Size = 35 5/8" x 70 3/4" | | | | | |
| | Û | Frame, Wh | ite Exterior Sash/Panel, Pir | t, 8 Degrees - Moderate, 400 Series Woodwright Double-Hung-WWI, Equal Sasl rel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/I ill Traditional, 2 Sash Locks White, White/WhiteJamb Liner, White, Full Screen, . | | | | | |
| | PA 8 | Insect Scre White | een 1: 400 Series Woodwrig | ght Double-Hu | ing-WWI, W | /DHI 35.625 x 70.75 | 8 Degrees - Moderat | te Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments | : | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 7 of 15

| | | ltem | Qty | Operation | Loca | ation | <u>Unit Price</u> | Ext. Price |
|-------------|----------|-------------------------|--|---|--|---|-----------------------------------|----------------|
| | | 1400 | 3 | AA | JOHN'S | OFFICE | | |
| | 222 | RO Size | = 19 5/8" x 70 1/2 | ' Unit Siz | e = 19 1/4" x 70 1/4" | | | |
| | | Frame, Wh Pane Low-I | te Exterior Sash/Pa E4 Standard Argon | , 8 Degrees - Moderate, 400 : nel, Pine w/White - Painted Ir Fill Traditional, 1 Sash Locks 'oodwright Double-Hung-WWI | terior Frame, Pine w/Whi White, White/WhiteJamb | ite - Painted Inter Liner, White, Full | ior Sash/Panel, Screen, Alumin | AA, Dual um |
| Unit # | U-Factor | SHGC | Clear Opening | g/Unit # Width Heigh | Area (Sq. Ft) | Comment | ts: | |
| A1 | 0.3 | 0.31 | A1 | 0.00000 0.0000 | 0.00000 | | | |
| | | ltem | Qty | Operation | Loca | ation | Unit Price | Ext. Price |
| | | 1500 | 1 | AA | JOHN'S | OFFICE | | |
| 5 12 | ÷. | RO Size | = 36" x 70 3/4" | Unit Siz | e = 35 5/8" x 70 1/2" | | | |
| - 08 - 0 | Û | Frame, Wh | te Exterior Sash/Pa | it, 8 Degrees - Moderate, 400 nel, Pine w/White - Painted Ir Fill Traditional, 2 Sash Locks | terior Frame, Pine w/Whi | ite - Painted Interi | ior Sash/Panel, | AA, Dual |

| | | en 1: 400 Series Woodwrigh | t Double-H | ung-WWI, W | /DHI 35.625 x 70.5 8 | B Degrees - Moderate Full Screen Aluminum |
|-----------------|------|----------------------------|------------|------------|----------------------|---|
| Unit # U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: |

| A1 0.3 0.31 | A1 | 0.00000 | 0.00000 | 0.00000 |
|-------------|----|---------|---------|---------|
|-------------|----|---------|---------|---------|

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 8 of 15

| | | Iter | <u>m Qty</u> | <u>Operation</u> | | | <u>Location</u> | <u>Unit Price</u> | Ext. Price |
|--------|--|-------------------------------|---|-----------------------------|------------------------------|--------------------------------------|--|-------------------|--------------|
| | | 160 | 00 2 | AA | | S | TAIRWELL | | |
| 52.25 | т | RO | Size = 29 5/8" x 52 1/4" | ι | Jnit Size = | 29 1/4" x 52" | | | |
| R0. | T 29.25 | White E E4 Ten Traditic | 2' 5 1/4"X4' 4", Unit, 8 De Exterior Sash/Panel, Pine opered Argon Fill onal, 2 Sash Locks White | w/White - Painted Ir 2 W | nterior Fram /ide, 1 High | e, Pine w/White , Specified Equal | - Painted Interior Sash/P Light Pattern, White, Pir | anel, AA, Dua | al Pane Low- |
| | Insect Screen 1: 400 Series Woodwright Doubl | | | | | DHI 29.25 x 52 8 | Degrees - Moderate Fu | III Screen Alur | ninum White |
| Unit # | U-Factor | SHGC | Clear Opening | /Unit # Width | Height | Area (Sq. Ft) | Comments | : | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

| | | ltem | Qty | Operation | | L | _ocation | Unit Price | Ext. Price |
|------------------|----------|---------------------------|--|------------------|---------------------|--|---|---------------|------------|
| | - | 1700 | 1 | AA | | 2ND FLO | OR BATHROOM | | |
| - 47.5 - 47.5 | 4.2 | RO Size | = 35 1/2" x 47 3/4" | | Unit Size = | 35 1/8" x 47 1/2" | | | |
| R0- | 35.125 | Frame, Whit Pane Low-E | 1/8"X3' 11 1/2", Unit, 8 De e Exterior Sash/Panel, Pir 4 Standard Argon Fill raditional, 2 Sash Locks V | ne w/White - F | Painted Inter | ior Frame, Pine w/ de, 1 High, Specifie | White - Painted Interior ed Equal Light Pattern, | r Sash/Panel, | AA, Dual |
| | PO.155 | Insect Scree White | en 1: 400 Series Woodwrig | ght Double-Hi | ung-WW I , W | /DHI 35.125 x 47.5 | 5 8 Degrees - Moderate | Full Screen A | luminum |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments | : | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 9 of 15

| | 1 | ltem | Qty | <u>Operation</u> | | Lo | ocation | Unit Price | Ext. Price |
|---------|------------|---------------------------|--|------------------|-------------------------|--|--|---------------|------------|
| | | 1800 | 2 | AA | | GREEN O | FFICE MOLLY | | |
| RO - 59 | 88.78 | RO Size | = 23 3/4" x 59" | | Unit Size = | 23 3/8" x 58 3/4" | | | |
| | 23375 | Frame, Whit Pane Low-E | 3/8"X4' 10 3/4", Unit, 8 Deg te Exterior Sash/Panel, Pin 4 Standard Argon Fill raditional, 1 Sash Locks W | e w/White - F | Painted Interi 2 Wic | ior Frame, Pine w/W de, 1 High, Specified | /hite - Painted Interior d Equal Light Pattern, | Sash/Panel, | AA, Dual |
| | - BO 31 75 | Insect Scre White | en 1: 400 Series Woodwrig | ht Double-Hi | ung-WW I , W | DHI 23.375 x 58.75 | 8 Degrees - Moderat | e Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: | : | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

| | | <u>ltem</u> | <u>Qty</u> | Operation | | Lo | ocation | <u>Unit Price</u> | Ext. Price |
|--------|----------|---|---|------------------|------------------------|--|--|-------------------|------------|
| | | 1900 | 1 | AA | | GREEN O | FFICE MOLLY | | |
| 30.44 | 4.5 | RO Size = | = 23 3/4" x 44" | | Unit Size = | 23 3/8" x 43 3/4" | | | |
| R | 23.375 | Frame, White Pane Low-E₄ Grille Bar, Tr | 3/8"X3' 7 3/4", Unit, 8 Degre e Exterior Sash/Panel, Pine 4 Standard Argon Fill aditional, 1 Sash Locks Wh | e w/White - F | Painted Inter 2 Wie | ior Frame, Pine w/W de, 1 High, Specified | /hite - Painted Interior d Equal Light Pattern, | Sash/Panel, | AA, Dual |
| | DO. 2176 | | en 1: 400 Series Woodwrigl | ht Double-Hi | ung-WW I , W | /DHI 23.375 x 43.75 | i 8 Degrees - Moderat | e Full Screen | Aluminum |
| Init # | U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: | | |
| | | | | | | | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 10 of 15

| | | ltem | Qty | Operation | | Ī | _ocation | Unit Price | Ext. Price |
|---------|-----------|----------------------|-----------------------|--------------------------------|------------------------|---|--|---------------|------------|
| | | 2000 | 2 | AA | | GREE | N OFFICE #2 | | |
| RO - 59 | 22 | RO Si | ze = 23 3/4" x 59" | ι | Jnit Size = | 23 3/8" x 58 3/4" | | | |
| 8 | 23.375 | Frame, W Pane Lov | | nel, Pine w/White - Pa Fill | ainted Interi 2 Wic | ior Frame, Pine w/ de, 1 High, Specifi | Double-Hung-WWI, Equ White - Painted Interior ed Equal Light Pattern, creen, Aluminum | Sash/Panel, | AA, Dual |
| | - BO 1975 | Insect So White | creen 1: 400 Series W | oodwright Double-Hu | ng-WW I , W | DHI 23.375 x 58.7 | 75 8 Degrees - Moderat | e Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening | /Unit # Width | Height | Area (Sq. Ft) | Comments | : | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

| | | <u>lt</u> | <u>em</u> | <u>Qty</u> | Operation | | <u> </u> | Location | Unit Price | Ext. Price |
|--------|-------------|--------------------------|------------|--|------------------|---------------------|-------------------|------------------------|-----------------|------------|
| | - | 2. | 100 | 1 | AA | | FRONT LEF | T CORNER OFFICE | | |
| 0.525 | 4.5 | RC | O Size = 3 | 9 5/8" x 52 1/2" | | Unit Size = | 39 1/4" x 52 1/4" | | | |
| S S | 39.25 | Frame, Whi Pane Low-E | | 1/4"X4' 4 1/4", Unit, 8 Degrees - Moderate, 400 Series Woodwright Double-Hung-WWI, Equal Sash, V ite Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/F E4 Standard Argon Fill Constitution of the State St | | | | | r Sash/Panel, | AA, Dual |
| | DO - 10 875 | Insec | | 1: 400 Series Wood | wright Double-Hu | ing-WW I , W | /DHI 39.25 x 52.2 | 5 8 Degrees - Moderate | e Full Screen A | Aluminum |
| Unit # | U-Factor | SHGC | | Clear Opening/Un | it # Width | Height | Area (Sq. Ft) | Comments | : | |
| A1 | 0.31 | 0.28 | | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 11 of 15

| | | <u>ltem</u> 2200 | Qty | <u>Operation</u> AA | | EDONT LE | Location FT CORNER OFFICE | <u>Unit Price</u> | <u>Ext. Price</u> |
|----------|-------------|------------------------|---------------------|-------------------------------|-----------------------|--|--|-------------------|-------------------|
| 0 - 59 5 | 5 | | e = 24" x 59 1/2" | 44 | Unit Size = | 23 5/8" x 59 1/4 | | | |
| 80 | S 23.625 | Frame, Wh Pane Low- | | nel, Pine w/White - F Fill | Painted Inter 2 Wi | ior Frame, Pine v de, 1 High, Speci | Double-Hung-WWI, Equ /White - Painted Interior fied Equal Light Pattern, Screen, Aluminum | Sash/Panel, | AA, Dual |
| | 80.24 | Insect Scre White | een 1: 400 Series W | oodwright Double-Hu | ung-WW I , W | /DHI 23.625 x 59 | .25 8 Degrees - Moderate | e Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening | /Unit # Width | Height | Area (Sq. Ft) | Comments: | | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

| | | ltem | Qty | Operation | | L | ocation | Unit Price | Ext. Price |
|--------|-------------|---------------------------------------|--|-------------------------------|--------------|--|--|--------------------|------------|
| | | 2300 | 1 | AA | | RUS | ST OFFICE | | |
| 80.43 | 1 | RO Siz | e = 23 7/8" x 43" | | Unit Size = | 23 1/2" x 42 3/4" | | | |
| RC | 23.5 | Frame, Wh Pane Low- Grille Bar, | 1 1/2"X3' 6 3/4", Unit hite Exterior Sash/Pa -E4 Standard Argon I Traditional, 1 Sash L | nel, Pine w/White - F Fill | ainted Inter | ior Frame, Pine w/ de, 1 High, Specifie | White - Painted Inte ed Equal Light Patte | rior Sash/Panel, | AA, Dual |
| | RO - 93 875 | | reen 1: 400 Series W | oodwright Double-Hu | ung-WWI, W | /DHI 23.5 x 42.75 8 | 8 Degrees - Modera | ate Full Screen Al | uminum |
| Unit # | U-Factor | SHGC | Clear Opening | /Unit # Width | Height | Area (Sq. Ft) | Comme | nts: | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 12 of 15

| T | | ltem | Qty | Operation | | | Location | Unit Price | Ext. Price |
|----------|--------------|-----------------------|------------------------|---------------------|-----------------------|--|---|---------------|------------|
| | | 2400 | 2 | AA | | | | | |
| 0 - 59.5 | 86.26 | RO Siz | e = 23 3/4" x 59 1/2" | | Unit Size = | 23 3/8" x 59 1/4 | | | |
| R | | Frame, WI Pane Low | | l, Pine w/White - P | ainted Inter 2 Wie | ior Frame, Pine v de, 1 High, Speci | Double-Hung-WWI, Equ v/White - Painted Interior fied Equal Light Pattern, Screen, Aluminum | Sash/Panel, | AA, Dual |
| | - BO . 21 72 | Insect Sci White | reen 1: 400 Series Woo | odwright Double-Hu | ung-WW I , W | /DHI 23.375 x 59 | .25 8 Degrees - Moderate | e Full Screen | Aluminum |
| Unit # | U-Factor | SHGC | Clear Opening/U | Init # Width | Height | Area (Sq. Ft) | Comments: | | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

| | | Item | <u>n Qty</u> | Operation | | Lo | ocation | Unit Price | Ext. Price |
|---------|-------------|---------------------|---|--------------------------------|---------------------|--|--|----------------|------------|
| | - | 2500 |) 1 | AA | | FRONT RIGHT | | | |
| 0-515 | 44 | ROS | 6ize = 39 7/8" x 51 1/2 | n | Unit Size = | 39 1/2" x 51 1/4" | | | |
| Ro s | 39.5 | Frame, V Pane Lo | ' 3 1/2"X4' 3 1/4", Unit, White Exterior Sash/Pa w-E4 Standard Argon ar, Traditional, 2 Sash | anel, Pine w/White - P Fill | ainted Inter | ior Frame, Pine w/W de, 1 High, Specified | /hite - Painted Interior d Equal Light Pattern, | Sash/Panel, | AA, Dual |
| | DO . 39 875 | Insect S White | Screen 1: 400 Series V | Voodwright Double-Hu | ing-WW I , W | /DHI 39.5 x 51.25 8 | Degrees - Moderate I | Full Screen Al | uminum |
| Unit # | U-Factor | SHGC | Clear Openin | g/Unit # Width | Height | Area (Sq. Ft) | Comments | : | |
| A1 | 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | | | |

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 13 of 15

| | tem | <u>Qty</u> | Operation | Location | Unit Price | Ext. Price | |
|-------------------------------------|--|-------------------|------------------|--------------------------------|------------|------------|--|
| Į. | 2600 | 1 | AA | FRONT RIGHT CORNER BATHROOM | | | |
| 10 - 219 87 - 219 - 400 - 219 | RO Size = | 40 1/4" x 51 1/2" | Unit Siz | e = 39 7/8" x 51 1/4" | | | |
| 39.875 R0 -40.25 | WDHI 3' 3 7/8"X4' 3 1/4", Unit, 8 Degrees - Moderate, 400 Series Woodwright Double-Hung-WWI, Equal Sash, White Exterior Frame, White Exterior Sash/Panel, Pine w/White - Painted Interior Frame, Pine w/White - Painted Interior Sash/Panel, AA, Dual Pane Low-E4 Tempered Argon Fill 2 Wide, 1 High, Specified Equal Light Pattern, White, Pine w/White, 3/4" Grille Bar, Traditional, 2 Sash Locks White, White/WhiteJamb Liner, White, Full Screen, Aluminum | | | | | | |
| | Insect Screen 1: 400 Series Woodwright Double-Hung-WWI, WDHI 39.875 x 51.25 8 Degrees - Moderate Full Screen Aluminum White | | | | | | |

| U-Factor | SHGC | Clear Opening/Unit # | Width | Height | Area (Sq. Ft) | Comments: |
|----------|------|----------------------|---------|---------|---------------|-----------|
| 0.31 | 0.28 | A1 | 0.00000 | 0.00000 | 0.00000 | |





Unit # -----A1

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 14 of 15

* All graphics as viewed from the exterior. ** Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.

Thank you for choosing Andersen Windows & Doors

Print Date: 10/21/2021 6:24:04 PM UTC

All Images Viewed from Exterior

Page 15 of 15