

Attachment #5



Siding replacement over driveway porch:

Remove all old siding and dispose of at transfer station.

Use Tyvek as a waterproof/vapor barrier over the existing sheathing and behind the new siding

• tyvek (2 rolls) \$140.00

•estimated Siding:

16x24 384sqft

8x8 64sqft

Total 448 sqft

Cement siding to match existing asbestos siding

Home Depot \$109.00 per bundle

33 sq ft per bundle

14 bundles- 18 bundles

18 bundles \$1962.00

Nails \$100.00

Estimated labor

\$1825

Estimated labor and material for this project:

Siding \$1962.00

Tyvek \$140.00

Nails \$100

Labor \$1825

Total: \$4027

1 \$966.00 \$966.00



WeatherSide™

FIBER-CEMENT SIDING

Pre-primed
& ready for
painting!

Great For New Residential Applications And Tough And Durable Enough For Commercial Construction...


- **Proven Technology...** WeatherSide™ Fiber-Cement Siding is fire-proof, durable, and resistant to freeze-thaw conditions
- **Fast Installation...** Unlike some other fiber-cement siding products, WeatherSide™ Fiber-Cement Siding does not require caulking at every joint
- **Classic Look...** Distinctive beauty unavailable in other siding products
- **Pre-Primed...** Comes with a flat white primed surface, ready for painting
- **Peace Of Mind...** Backed by a 25-year ltd. warranty*

*See WeatherSide™ Limited Warranty for complete coverage and restrictions.



Matching Accessories Available...

WeatherSide™ Fiber-Cement Siding accessories offer faster, easier, more accurate installation and include:



- Siding Nails
- Pre-Primed Individual Corners (9", 12", 14", and Emphasis™)
- Backer Strips (9", 12", and 14")

SHINGLE SELECTOR

	Purity™ Shingle		Emphasis™ Shingle	Profile Shingle		
	Textured surface with Straight, Wavy, or Thatched edge.			Striated surface with Straight edge.		
	Straight/Wavy Thatched			Profile 9	Profile 12	Profile 14
Size:	12" x 24"	12" x 24"	14 5/8" x 25 1/2"	9" x 32"	12" x 24"	14 5/8" x 32"
Exposure:	11"	10 1/2"	13"	8"	11"	13 5/8"
Thickness:	11/64"	11/64"	9/32"	11/64"	11/64"	11/64"
Pcs./Bundle:	18	19	11	19	18	11
Bundles/Sq.:	3	3	4	3	3	3
Sqs./Pallet:	20	20	10	15	20	15
Lbs./Sq.:	168	186	268	177	165	171

Note: We recommend that any removal and disposal of asbestos-containing products be done by a professionally trained asbestos-removal contractor.



Quality You Can Trust... From
North America's Largest Roofing Manufacturer!™

FIBER-CEMENT SIDING