



**Compilation of PFAS Analytical Results  
Portsmouth Public Water Supply Monitoring Program**

Sample Location	Sample ID	Collection Date	Sampled By	6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EiFOA)	N-Ethyl perfluorooctane sulfonamide (EiFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluorohexane sulfonate (PFHpS)	Perfluorohexanoic acid (PFHpA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTriDA)	Perfluoroundecanoic acid (PFUnA)	
USEPA Health Advisory (HA):				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.070	0.070	-	-	-	-
Collins Well	Collins	16-May-14	NHDES	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	ND	NA	NA	ND	NA	ND	ND	NA	NA	NA	NA	
	Collins-06182014	18-Jun-14	AMEC	NA	NA	NA	NA	NA	NA	ND	0.0028 J	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	DW-DUP-06182014 (D)	18-Jun-14	AMEC	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS-06252014	25-Jun-14	AMEC	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS-07022014	02-Jul-14	AMEC	NA	NA	NA	NA	NA	NA	ND	0.0056 J	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0072 J	ND	0.0032 J	ND	ND	
	COLLINS-07092014	09-Jul-14	AMEC	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS-07162014	16-Jul-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0045 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_07242014	24-Jul-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_08062014	06-Aug-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_08212014	21-Aug-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_09042014	04-Sep-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_09172014	17-Sep-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_10162014	16-Oct-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0038 J	ND	ND	ND	ND	0.0048 J	ND	0.0044 J	ND	ND	
	COLLINS_11122014	12-Nov-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_12122014	12-Dec-14	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_01052015	05-Jan-15	AMEC	ND	ND	ND	ND	0.0032 J	ND	ND	0.0035 B	0.0043 J	ND	ND	0.0062 J	ND	ND	ND	ND	ND	ND	0.0047 J	ND	0.0035 J	ND	ND	
	COLLINS_02042015	04-Feb-15	AMEC	ND	ND	0.0091 J	ND	ND	ND	ND	0.0031 J	ND	ND	ND	ND	ND	0.0038 J	ND	ND	ND	ND	ND	ND	ND	ND	0.0054 J	
	COLLINS_03172015	17-Mar-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0044 J	ND	ND	ND	ND	ND	0.0054 J	ND	ND	ND	ND	
	COLLINS_03262015	26-Mar-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0047 B	ND	ND	ND	ND	
	COLLINS_04232015	23-Apr-15	AMEC	ND	ND	ND	0.0048 B	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0017 B	0.0041 J	ND	ND	ND	ND	
	COLLINS_05212015	21-May-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_06162015	16-Jun-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0043 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0052 J	ND	
	COLLINS_07162015	16-Jul-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0040 J	ND	ND	ND	ND	
	COLLINS_08112015	11-Aug-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0054 J	ND	ND	ND	ND	ND	ND	ND	0.0063 J	ND	0.0077 J	ND	ND	
	COLLINS_09092015	09-Sep-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0044 J	ND	ND	ND	ND	
	COLLINS_10072015	07-Oct-15	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0063 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0074 J	ND	ND	ND	ND	
	COLLINS_11042015	04-Nov-15	AMEC	ND	ND	ND	0.0080 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0060 J	ND	ND	ND	ND	0.0073 J	ND	ND	0.0094 J	0.0052 J	
	COLLINS_12012015	01-Dec-15	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0066 J	ND	ND	ND	ND	0.0076 J	ND	ND	ND	ND	
	COLLINS_01062016	06-Jan-16	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0057 B	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_02022016	02-Feb-16	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0041 B	0.0070 B	ND	ND	ND	0.0067 J	ND	ND	ND	ND	
	COLLINS_03012016	01-Mar-16	AMEC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0084 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_03292016	29-Mar-16	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0050 J	0.0077 J	ND	ND	ND	ND	0.0051 B	ND	ND	ND	ND	0.0034 J	ND	ND	ND	ND	
	COLLINS-04122016	12-Apr-16	AMEC	ND	ND	NA	NA	NA	NA	NA	ND	ND	NA	NA	NA	ND	0.0055 B	0.0073 B	ND	ND	ND	0.0058 B	ND	ND	NA	NA	
	COLLINS-GW_20160623	23-Jun-16	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0035 J	ND	NA	NA	NA	ND	0.0042 J	0.0050 J	ND	ND	ND	0.0054 J	0.0055 J	0.0069 J	NA	NA	
	COLLINS-GW_20160719	19-Jul-16	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0034 J	ND	NA	NA	NA	ND	0.0058 J	ND	ND	ND	ND	0.0061 J	ND	0.0055 J	NA	NA	
	COLLINS-GW_20160802	02-Aug-16	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0075 J	ND	NA	NA	NA	ND	0.0054 J	0.0057 J	ND	ND	ND	0.0052 J	0.0071 J	0.0085 J	NA	NA	
	COLLINS-GW_20160913	13-Sep-16	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0079 B	ND	NA	NA	NA	ND	ND	ND	ND	ND	ND	0.0047 B	ND	ND	NA	NA	
	COLLINS-GW_20161019	19-Oct-16	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0100 J	ND	NA	NA	NA	ND	0.0054 J	ND	ND	ND	ND	0.0051 J	ND	ND	NA	NA	
	COLLINS-GW_20161117	17-Nov-16	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0160 J	ND	NA	NA	NA	ND	ND	ND	ND	ND	ND	0.0061 J	ND	ND	NA	NA	
	COLLINS_GW_20161214	14-Dec-16	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0150 J	ND	NA	NA	NA	ND	0.0060 J	ND	ND	ND	ND	0.0067 J	ND	0.0047 J	NA	NA	
	COLLINS-GW_20170111	11-Jan-17	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0200 J	ND	NA	NA	NA	ND	0.0082 J	0.0093 J	ND	ND	ND	0.0071 J	ND	ND	NA	NA	
	COLLINS-GW_20170217	17-Feb-17	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0130 J	ND	NA	NA	NA	ND	ND	ND	ND	ND	ND	0.0068 J	ND	ND	NA	NA	
	COLLINS-GW_20170323	23-Mar-17	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0089 J	ND	NA	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	
	COLLINS-GW_20170419	19-Apr-17	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0079 J	ND	NA	NA	NA	ND	0.0042 J	ND	ND	ND	ND	0.0056 J	ND	ND	NA	NA	
	COLLINS-GW_20170612	12-Jun-17	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0100 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
COLLINS-GW_20170711	11-Jul-17	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0094 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0069 J	ND	ND		
COLLINS-GW_20170802	02-Aug-17	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0110 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0042 J	ND	ND	ND	ND		
COLLINS-GW_20170915	15-Sep-17	AMEC	ND	ND	NA	NA	NA	NA	NA	0.0120 J	ND	NA	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA		
COLLINS-GW_20171019	19-Oct-17	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0200 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
COLLINS-GW_20171114	14-Nov-17	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0140 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
COLLINS-GW-20171208	08-Dec-17	AMEC	ND	ND	ND	ND	ND	ND	ND	0.0190 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
COLLINS-GW_20180109	09-Jan-18	WOOD	ND	ND	ND	ND	ND	ND	ND	0.0210	ND	ND	ND	ND	ND	ND	0.0040 J	ND	ND	ND	0.0095 J	0.0085 J	ND	ND	ND		
COLLINS-GW_20180206	06-Feb-18	WOOD	ND	ND	ND	ND	ND	ND	ND	0.0220	ND	ND	ND	ND	ND	ND	ND	ND	0.0040 J	ND	0.0059 J	ND	ND	ND	ND		
COLLINS-GW_20180306	06-Mar-18																										



**Compilation of PFAS Analytical Results  
Portsmouth Public Water Supply Monitoring Program**

Sample Location	Sample ID	Collection Date	Sampled By	6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EiFOSA)	N-Ethyl perfluorooctane sulfonamidoethanol (EiFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamidoethanol (MIEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDOA)	Perfluorohexane sulfonate (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorooctane sulfonate (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDOA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorohexadecanoic acid (PFHxDA)	Perfluoroundecanoic acid (PFUnA)	
USEPA Health Advisory (HA):				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.070	0.070	-	-	-	-
Greenland Well	GREENLAND	16-May-14	NHDES	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	ND	ND	NA	ND	NA	NA	NA	NA	
	GREENLAND WELL_20140721	21-Jul-14	NHDES	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	ND	ND	NA	ND	NA	NA	NA	NA	
	GREENLAND WELL_20150210	10-Feb-15	NHDES	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	NA	ND	ND	NA	ND	NA	NA	NA	NA	
	GREENLAND WELL_20160801	01-Aug-16	DPW	ND	ND	ND	ND	ND	ND	<b>0.0033 J</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	GREENLAND WELL_20161117	17-Nov-16	DPW	<b>0.0070 J</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	GREENLAND WELL_20161117_RERUN	17-Nov-16	DPW	ND	ND	ND	ND	ND	ND	<b>0.0035 J</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	GREENLAND WELL_20170427	27-Apr-17	DPW	ND	ND	ND	ND	ND	ND	<b>0.0062 J</b>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	GREENLAND WELL_20171031	31-Oct-17	DPW	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	GREENLAND WELL_20180426	26-Apr-18	DPW	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	GREENLAND WELL_20181024	24-Oct-18	DPW	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
GREENLAND WELL_20181128	28-Nov-18	DPW	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		

Notes:  
 Grey text indicates the parameter was not analyzed (NA) or not detected below the laboratory detection limit (ND).  
 Grey highlight indicates the compound was not analyzed  
 All concentrations in µg/L - micrograms per liter  
 All values in micrograms per liter (µg/L)  
 D - duplicate sample  
 J - The result is an estimated value.  
 B - Compound Detected in Blank.