

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type	Sample Location	Collection Date	Perfluorinated Compound Monitoring Program																							
			6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EtFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluorooheptane sulfonate (PFHpS)	Perfluorooheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluoroundecanoic acid (PFUnA)	
USEPA Provisional Health Advisory (PHA)			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.4	-	-	-	-	
Production Well	Collins Well	Collins-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	0.0028 J	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	DW-DUP-06182014 (D)	18-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS-07022014	02-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	0.0056 J	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0032 J	ND	ND	
	COLLINS-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS-07162014	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_09172014	17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	COLLINS_10162014	16-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0038 J	ND	ND	ND	0.0048 J	ND	0.0044 J	ND	
	COLLINS_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Harrison Well	Harrison-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	0.0044 J	ND	ND	ND	ND	NA	ND	0.026	0.0046 J	ND	ND	0.025	ND	0.0066 J	ND	
	HARRISON-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	0.021	ND	ND	ND	0.025	ND	0.0034 J	ND	
	DW-DUP-07022014 (D)	02-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	0.0071 J	ND	ND	ND	ND	NA	ND	0.021	0.0063 J	ND	ND	0.027	0.0034 J	0.0065 J	ND	
	HARRISON-07022014	02-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	0.0071 J	ND	ND	ND	ND	NA	ND	0.02	0.0058 J	ND	ND	0.026	0.0034 J	0.0066 J	ND	
	HARRISON-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	0.0043 J	ND	ND	ND	ND	NA	ND	0.019 J	0.0044 J	ND	ND	0.02	ND	ND	ND	
	DW-DUP-07162014 (D)	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.028	ND	ND	ND	0.026	0.0047 J	ND	ND	
	HARRISON-07162014	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.029	ND	ND	ND	0.027	ND	0.0029 J	ND	
	HARRISON_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.024	ND	ND	ND	0.027	ND	0.0033 J	ND	
	HARRISON_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.025	ND	ND	ND	0.02	ND	0.0057 J	ND	
	HARRISON_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.015 J	ND	ND	ND	0.011 J	ND	0.0036 J	ND	
	HARRISON_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0038 J	ND	ND	ND	ND	NA	ND	0.027	0.0039 J	ND	ND	0.027	ND	0.0036 J	ND	
	HARRISON_09172014	17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.026	0.0033 J	ND	ND	0.025	ND	0.0048 J	ND	
	HARRISON_10012014	01-Oct-14	ND	ND	ND	0.0028 B	ND	ND	ND	ND	0.0068 J	ND	ND	ND	ND	NA	ND	0.03	0.0076 J	ND	ND	0.031	0.0076 J	0.0081 J	ND	
	HARRISON_10162014	16-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0046 J	ND	ND	ND	ND	NA	0.0047 J	0.031	0.01 J	ND	ND	0.035	0.0077 J	0.012 J	ND	
HARRISON_10292014	29-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.026	0.0085 J	ND	ND	0.027	0.0063 J	0.015 J	ND		
HARRISON_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0046 J	ND	ND	ND	ND	NA	ND	0.029	0.0064 J	ND	ND	0.034	ND	0.01 J	ND		
HARRISON_11242014	24-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0059 J	ND	ND	ND	ND	NA	ND	0.038	0.0074 J	ND	ND	0.038	0.0065 J	0.011 J	ND		

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type	Sample Location	Sample ID	Collection Date	Perfluorinated Compound Monitoring Program																							
				6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EtFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluorooheptane sulfonate (PFHpS)	Perfluorooheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluoroundecanoic acid (PFUnA)	
USEPA Provisional Health Advisory (PHA)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.4	-	-	-	-	
Production Well	Portsmouth Well	Portsmouth-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	0.0029 J	ND	ND	ND	NA	ND	0.0058 J	ND	ND	ND	ND	ND	0.0068 J	ND	ND	ND	
		DW-DUP-06252014 (D)	25-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	NA	ND	0.0044 J	ND	ND	ND	ND	ND	ND	0.0031 J	ND	ND	ND
		PORTSMOUTH-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	NA	ND	0.0051 J	ND	ND	ND	ND	ND	ND	0.0035 J	ND	ND	ND
		PORTSMOUTH-07022014	02-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	0.0058 J	ND	ND	ND	NA	ND	0.0055 J	0.0056 J	ND	0.0025 J	0.01 J	ND	0.006 J	ND	ND	ND
		PORTSMOUTH-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	0.0024 J	ND	ND	ND	NA	ND	ND	0.0029 J	ND	ND	ND	ND	ND	ND	ND	ND
		PORTSMOUTH-07162014	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
		DUP2_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0038 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		PORTSMOUTH_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0036 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		PORTSMOUTH_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0052 J	ND	ND	ND	ND	ND	ND	0.0032 J	ND	ND	ND
		PORTSMOUTH_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0046 J	ND	ND	ND	ND	ND	ND	0.0045 J	ND	ND	ND
		PORTSMOUTH_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0073 J	0.0035 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
		PORTSMOUTH_09172014	17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0084 J	ND	ND	ND	0.0049 J	ND	0.0035 J	ND	ND	ND	ND
		PORTSMOUTH_10162014	16-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0047 J	ND	ND	ND	NA	0.0041 J	0.0091 J	0.0072 J	ND	ND	0.0073 J	0.0062 J	0.009 J	ND	ND	ND
	PORTSMOUTH_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0031 J	ND	ND	ND	0.0039 J	ND	0.0033 J	ND	ND	ND	ND	
	Smith Well	Smith-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.0095 J	ND	0.0042 J	ND	ND	ND	
		SMITH-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.0073 J	ND	ND	ND	ND	ND	
		SMITH-07022014	02-Jul-14	NA	NA	NA	NA	NA	NA	ND	0.0058 J	ND	ND	ND	NA	ND	0.0098 J	0.003 J	ND	0.0026 J	0.012 J	ND	0.0033 J	ND	ND	ND	
		DW-DUP-07092014 (D)	09-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0061 J	ND	ND	ND	0.0043 J	ND	ND	ND	ND	ND	
		SMITH-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0062 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		SMITH-07162014	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014 J	ND	ND	ND	0.0069 J	ND	ND	ND	ND	ND	
		SMITH_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0067 J	ND	ND	ND	0.008 J	ND	ND	ND	ND	ND	
		SMITH_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0082 J	ND	ND	ND	0.0072 J	ND	ND	ND	ND	ND	
		SMITH_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0083 J	ND	ND	ND	0.0068 J	ND	ND	ND	ND	ND	
		SMITH_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.0089 J	ND	ND	ND	ND	ND	
		SMITH_09172014	17-Sep-14	ND	ND	ND	0.0034 J	ND	0.0059 J	ND	ND	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.0078 J	ND	ND	ND	ND	ND	
SMITH_09242014		24-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0026 J	ND	ND	ND	NA	ND	0.013 J	0.0035 J	ND	ND	0.0061 J	ND	0.0044 J	ND	ND	ND	
SMITH_10012014	01-Oct-14	ND	ND	ND	0.0029 B	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.01 J	ND	0.0031 J	ND	ND	ND			
SMITH_10082014	08-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.007 B	ND	ND	ND	NA	ND	0.014 J	0.0043 J	ND	ND	0.014 J	0.0053 J	0.0052 J	ND	ND	ND		
SMITH_10162014	16-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	0.0037 J	ND	ND	0.011 J	ND	0.0067 J	ND	ND	ND			
SMITH_10222014	22-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0029 J	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.013 J	ND	ND	ND	ND	ND		
SMITH_10292014	29-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.012 J	ND	ND	ND	0.011 J	ND	0.0051 J	ND	ND	ND			
SMITH_11062014	06-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.012 J	ND	ND	ND	0.013 J	ND	0.0037 J	ND	ND	ND			
SMITH_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0081 J	ND	ND	ND	0.0077 J	ND	ND	ND	ND	ND			
SMITH_11192014	19-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0087 J	0.0028 J	ND	ND	0.011 J	ND	ND	ND	ND	ND			
SMITH_11242014	24-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.011 J	ND	ND	ND	ND	ND			

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type		Sample Location	Collection Date	6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluoroheptane sulfonate (PFHpS)	Perfluoroheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluoroundecanoic acid (PFUnA)			
USEPA Provisional Health Advisory (PHA)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.4	-	-	-	-		
Distribution Point	WWTP Distro Point	WTP-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0063 J	ND	ND	ND	0.0069 J	ND	0.005 J	ND	ND	ND			
		WTP-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	0.0092 J	ND	ND	ND	0.0066 J	ND	ND	ND	ND	ND		
		WTP-07022014	02-Jul-14	NA	NA	NA	NA	NA	NA	ND	0.0059 J	ND	ND	ND	ND	NA	ND	0.0082 J	0.0033 J	ND	ND	0.0098 J	ND	0.0056 J	ND	ND	ND		
		WTP-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		WTP-07162014	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01 J	ND	ND	ND	0.0038 J	ND	ND	ND	ND	ND		
		WTP_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0078 J	ND	ND	ND	0.0062 J	ND	ND	ND	ND	ND		
	DES Office Distro Point	DES-OFC-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	0.0035 J	ND	ND	0.01 J	ND	0.0034 J	ND	ND	ND		
		DES-OFC-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	0.0082 J	ND	ND	ND	0.0068 J	ND	ND	ND	ND	ND		
		DES-OFC-07022014	02-Jul-14	NA	NA	NA	NA	NA	NA	ND	0.0024 J	ND	ND	ND	ND	NA	ND	0.0061 J	0.0037 J	ND	ND	0.0065 J	ND	ND	ND	ND	ND		
		DES-OFC-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	0.0064 J	0.003 J	ND	ND	0.0059 J	ND	ND	ND	ND	ND		
		DES-OFC-07162014	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.019 J	ND	ND	ND	0.014 J	ND	ND	ND	ND	ND		
		DES-OFC_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.011 J	ND	ND	ND	ND	ND		
	Sentinel Well	CSW-1D	CSW-1D-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
			CSW-1D-06262014	26-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CSW-1D-07012014			01-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CSW-1D-07102014			10-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0027 J	ND	ND	ND	ND	ND	
CSW-1D_07232014			23-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CSW-1D_08052014			05-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CSW-1D_08212014			21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CSW-1D_09042014			04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CSW-1D_09172014			17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
DUP1_09172014		17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
CSW-1S		CSW-1S-06172014	17-Jun-14	NA	NA	NA	NA	NA	NA	ND	0.0034 J	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	0.0074 J	ND	0.0057 J	ND	ND	ND	ND	
		CSW-1S-06262014	26-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		CSW-1S-07012014	01-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		CSW-1S-07102014	10-Jul-14	NA	NA	NA	NA	NA	NA	0.0032 J	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0087 J	ND	0.0042 J	ND	ND	ND	
		CSW-1S_07232014	23-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0052 J	ND	ND	ND	ND	ND	
		CSW-1S_08052014	05-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0065 J	ND	ND	ND	ND	ND	
		DUP1_08052014	05-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0068 J	ND	ND	ND	ND	ND	
		CSW-1S_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	0.0027 J	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0043 J	ND	ND	ND	ND	ND	
	CSW-1S_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
CSW-1S_09172014	17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0038 J	ND	ND	ND	ND	ND			

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type	Sample Location	Sample ID	Collection Date	Perfluorinated Compound Monitoring Program																						
				6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluoroheptane sulfonate (PFHpS)	Perfluoroheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluoroundecanoic acid (PFUnA)
USEPA Provisional Health Advisory (PHA)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.4	-	-	-	-
Sentinel Well	CSW-2R	CSW-2R-08072014	07-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		CSW-2R_08202014	20-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		CSW-2R_09032014	03-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		CSW-2R_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	HMW-03	HMW-03-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	0.0026 J	ND	ND	ND	NA	ND	0.012 J	0.0038 J	ND	ND	0.0088 J	ND	0.0076 J	ND	ND	ND
		SW-DUP-06182014 (D)	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	0.0033 J	ND	ND	ND	NA	ND	0.013 J	0.0039 J	ND	ND	0.0088 J	ND	0.0061 J	ND	ND	ND
		HMW-3-06262014	26-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0074 J	ND	ND	ND	0.0051 J	ND	ND	ND	ND	ND
		HMW-3-06302014	30-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0073 J	ND	ND	ND	0.0095 J	ND	ND	ND	ND	ND
		SW-DUP-06302014 (D)	30-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0068 J	ND	ND	ND	0.0063 J	ND	ND	ND	ND	ND
		HMW-3-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.01 J	0.0035 J	ND	ND	0.0061 J	ND	ND	ND	ND	ND
		HMW-03_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.0056 J	ND	0.0039 J	ND	ND	ND
		HMW-03_08052014	05-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.0097 J	ND	0.005 J	ND	ND	ND
		DUP1_08202014	20-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.0077 J	ND	0.0058 J	ND	ND	ND
		HMW-03_08202014	20-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.0074 J	ND	0.0055 J	ND	ND	ND
	HMW-03_09032014	03-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	0.0034 J	ND	ND	0.0082 J	ND	0.0041 J	ND	ND	ND	
	HMW-03_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	0.0024 J	ND	ND	ND	NA	ND	0.015 J	ND	ND	ND	0.01 J	ND	0.0044 J	ND	ND	ND	
	HMW-8R	HMW-8R-08072014	07-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.018 J	0.0039 J	ND	ND	0.0049 J	ND	0.011 J	ND	ND	ND
		HMW-8R_08202014	20-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.018 J	0.0046 J	ND	ND	0.0051 J	ND	0.01 J	ND	ND	ND
		HMW-8R_09032014	03-Sep-14	ND	ND	ND	ND	ND	ND	ND	0.007 J	ND	ND	ND	NA	ND	0.02 J	0.0064 J	ND	ND	0.0073 J	0.0039 J	0.0083 J	ND	ND	ND
		HMW-8R_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	0.0032 J	ND	ND	ND	NA	ND	0.021	0.0064 J	ND	ND	0.0053 J	ND	0.0092 J	ND	ND	ND
		HMW-8R_10012014	01-Oct-14	ND	ND	ND	0.0062 B	ND	ND	ND	0.0069 J	ND	ND	ND	NA	ND	0.019 J	0.0082 J	ND	ND	0.0068 J	0.0067 J	0.011 J	ND	ND	ND
		HMW-8R_10162014	16-Oct-14	ND	ND	ND	ND	ND	ND	ND	0.0066 J	ND	ND	ND	NA	0.0043 J	0.025	0.01 J	ND	ND	0.01 J	0.0055 J	0.015 J	ND	ND	ND
		HMW-8R_10292014	29-Oct-14	ND	ND	ND	ND	ND	ND	ND	0.0024 J	ND	ND	ND	NA	ND	0.023	0.011 J	ND	ND	0.01 J	0.0067 J	0.016 J	ND	ND	ND
		HMW-8R_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	0.0035 J	ND	ND	ND	NA	ND	0.023	0.0074 J	ND	ND	0.0083 J	ND	0.013 J	ND	ND	ND
HMW-8R_11242014	24-Nov-14	ND	ND	ND	ND	ND	ND	ND	0.0062 J	ND	ND	ND	NA	ND	0.022	0.0072 J	ND	ND	0.01 J	0.0047 J	0.014 J	ND	ND	ND		

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type	Sample Location	Sample ID	Collection Date	USEPA Provisional Health Advisory (PHA)																								
				6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EtFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluoroheptane sulfonate (PFHpS)	Perfluoroheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluoroundecanoic acid (PFUnA)		
Sentinel Well	HMW-14	HMW-14-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.016 J	ND	ND	ND	ND	ND	0.0036 J	ND	ND	ND		
		HMW-14-06262014	26-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.022	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		SW-DUP-06262014 (D)	26-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.023	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14-07012014	01-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.032	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.029	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0069 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14-08072014	07-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0061 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		DUP1_09242014	24-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0069 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_09242014	24-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0053 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_10012014	01-Oct-14	ND	ND	ND	0.0047 B	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0033 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_10092014	09-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0066 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_10152014	15-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0053 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_10222014	22-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0034 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		DUP_10292014	29-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_10292014	29-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_11062014	06-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		DUP_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_11192014	19-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-14_11242014	24-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		HMW-15	HMW-15-08072014	07-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.033	ND	0.0059 J	ND	ND	ND
			HMW-15_08202014	20-Aug-14	ND	ND	ND	ND	ND	ND	ND	0.0024 J	ND	ND	ND	NA	ND	0.015 J	ND	ND	ND	0.031	ND	0.0058 J	ND	ND	ND	
			HMW-15_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	0.0031 J	ND	ND	ND	NA	ND	0.015 J	0.0027 J	ND	ND	0.033	0.0037 J	0.0037 J	ND	ND	ND	
			DUP2_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	0.0032 J	ND	ND	ND	NA	ND	0.016 J	ND	ND	ND	0.03	ND	0.0037 J	ND	ND	ND	
			HMW-15_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.017 J	ND	ND	ND	0.029	ND	0.0031 J	ND	ND	ND	
HMW-15_10012014	01-Oct-14		ND	ND	ND	0.0028 B	ND	ND	ND	0.0053 J	ND	ND	ND	NA	ND	0.017 J	0.0043 J	0.0024 J	ND	0.036	0.0069 J	0.0062 J	ND	ND	ND			
HMW-15_10162014	16-Oct-14		ND	ND	ND	ND	ND	ND	ND	0.0056 J	ND	ND	ND	NA	0.0043 J	0.021	0.0074 J	ND	ND	0.033	0.0052 J	0.0091 J	ND	ND	ND			
HMW-15_10292014	29-Oct-14		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.018 J	0.0027 J	ND	ND	0.033	0.0071 J	0.0088 J	ND	ND	ND			
HMW-15_11132014	13-Nov-14		ND	ND	ND	ND	ND	ND	ND	0.0041 J	ND	ND	ND	NA	ND	0.022	0.0063 J	ND	ND	0.042	0.0093 J	0.012 J	ND	ND	ND			
DUP_11242014	24-Nov-14		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.015 J	0.0054 J	ND	ND	0.038	0.0035 J	0.0028 J	ND	ND	ND			
HMW-15_11242014	24-Nov-14	ND	ND	ND	ND	ND	ND	ND	0.0045 J	ND	ND	ND	NA	ND	0.016 J	ND	ND	ND	0.04	0.0041 J	0.0063 J	ND	ND	ND				

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type	Sample Location	Sample ID	Collection Date	USEPA Provisional Health Advisory (PHA)																							
				6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EtFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluorooheptane sulfonate (PFHpS)	Perfluorooheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluoroundecanoic acid (PFUnA)	
Sentinel Well	SMW-A	SMW-A-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	0.0046 J	ND	ND	ND	ND	ND	
		SMW-A-06262014	26-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		SMW-A-07012014	01-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.022	ND	ND	ND	ND	ND
		SMW-A-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.02 J	ND	ND	ND	ND	ND
		DUP1_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0036 J	ND	ND	ND	ND	0.029	ND	ND	ND	ND	ND
		SMW-A_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0034 J	ND	ND	ND	ND	0.031	ND	ND	ND	ND	ND
		SMW-A_08052014	05-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0054 J	ND	ND	ND	ND	ND
		SMW-A_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0051 J	ND	ND	ND	ND	ND
		SMW-A_09032014	03-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.0044 J	ND	ND	ND	ND	ND
	SMW-A_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	ND	0.029	ND	ND	ND	ND	ND	
	SMW-1-06172014	17-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0059 J	ND	ND	ND	0.0062 J	ND	ND	ND	ND	ND	
	SMW-1-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0069 J	ND	ND	ND	0.0068 J	ND	ND	ND	ND	ND	
	SMW-1-06302014	30-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0038 J	ND	ND	ND	0.0094 J	ND	ND	ND	ND	ND	
	SMW-1-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0045 J	0.0029 J	ND	ND	0.0065 J	ND	ND	ND	ND	ND	
	SW-DUP-07092014 (D)	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0054 J	ND	ND	ND	0.0064 J	ND	ND	ND	ND	ND	
	SMW-1_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0079 J	ND	ND	ND	0.0086 J	ND	ND	ND	ND	ND	
	SMW-1_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0066 J	ND	ND	ND	0.009 J	ND	ND	ND	ND	ND	
	SMW-1_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.007 J	ND	ND	ND	0.0074 J	ND	0.0054 J	ND	ND	ND	
	SMW-1_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0037 J	ND	ND	ND	NA	ND	0.0051 J	0.0038 J	ND	ND	0.0053 J	ND	0.0035 J	ND	ND	ND	
	DUP2_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0068 J	0.0034 J	ND	ND	0.005 J	ND	0.0045 J	ND	ND	ND	
	SMW-1_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0058 J	ND	ND	ND	ND	ND	0.0042 J	ND	ND	ND	
	SMW-1_09242014	24-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0044 J	ND	ND	ND	NA	ND	0.0067 J	0.0047 J	ND	ND	ND	ND	0.0074 J	ND	ND	ND	
	SMW-1_10012014	01-Oct-14	ND	ND	ND	0.003 B	ND	ND	ND	ND	0.0044 J	ND	ND	ND	NA	ND	0.005 J	0.0042 J	ND	ND	0.0069 J	ND	0.0068 J	ND	ND	ND	
	DUP1_10092014	09-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0078 B	ND	ND	ND	NA	ND	0.0084 J	0.0057 J	ND	ND	0.0089 J	ND	0.0063 J	ND	ND	ND	
	SMW-1_10092014	09-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0065 B	ND	ND	ND	NA	ND	0.0085 J	0.0054 J	ND	ND	0.0087 J	0.0038 J	0.0068 J	ND	ND	ND	
	SMW-1_10152014	15-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0081 J	0.0053 J	ND	ND	0.011 J	ND	0.0072 J	ND	ND	ND		
	DUP1_10222014	22-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0031 J	ND	ND	ND	NA	ND	0.0059 J	ND	ND	ND	0.0089 J	ND	ND	ND	ND	ND	
	SMW_1_10222014	22-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0024 J	ND	ND	ND	NA	ND	0.0066 J	ND	ND	ND	0.0086 J	ND	ND	ND	ND	ND	
	SMW-1_10292014	29-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0052 J	ND	ND	ND	0.01 J	ND	0.0046 J	ND	ND	ND		
	DUP_11062014	06-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0055 J	ND	ND	ND	0.0074 J	ND	ND	ND	ND	ND		
	SMW-1_11062014	06-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0055 J	ND	ND	ND	0.0069 J	ND	ND	ND	ND	ND		
	SMW-1_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	0.0061 J	ND	ND	ND	ND	ND		
	DUP_11192014	19-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0032 J	ND	ND	ND	NA	ND	0.0056 J	ND	ND	ND	0.0064 J	ND	ND	ND	ND	ND	
SMW-1_11192014	19-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0024 J	ND	ND	ND	NA	ND	0.0057 J	ND	ND	ND	0.0073 J	ND	ND	ND	ND	ND		
SMW-1_11242014	24-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0038 J	ND	ND	ND	0.0048 J	ND	ND	ND	ND	ND		

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type	Sample Location	Sample ID	Collection Date	Perfluorinated Compound Monitoring Program																							
				6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EtFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluoroheptane sulfonate (PFHpS)	Perfluoroheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTTrDA)	Perfluoroundecanoic acid (PFUnA)	
USEPA Provisional Health Advisory (PHA)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.4	-	-	-	-	
Sentinel Well	SMW-13	SMW-13-06172014	17-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		SMW-13-06262014	26-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	0.0039 J	ND	ND	ND	ND	ND	
		SMW-13-06302014	30-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	0.004 J	ND	ND	ND	ND	ND	
		SMW-13-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	0.0044 J	ND	ND	ND	ND	ND	
		SMW-13_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0052 J	ND	ND	ND	0.0073 J	ND	ND	ND	ND	ND	
		SMW-13_08052014	05-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0059 J	ND	ND	ND	0.0082 J	ND	ND	ND	ND	ND	
		SMW-13_08202014	20-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0057 J	ND	ND	ND	0.0074 J	ND	ND	ND	ND	ND	
		DUP1_09032014	03-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0073 J	ND	ND	ND	0.0082 J	ND	ND	ND	ND	ND	
		SMW-13_09032014	03-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.008 J	ND	ND	ND	0.0071 J	ND	ND	ND	ND	ND	
		SMW-13_09162014	16-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0084 J	ND	ND	ND	0.0065 J	ND	ND	ND	ND	ND	
	SMW-13_10162014	16-Oct-14	ND	ND	ND	ND	ND	ND	ND	0.0038 J	ND	ND	ND	NA	ND	0.0095 J	0.0031 J	ND	ND	0.01 J	ND	0.004 J	ND	ND	ND		
	SMW-13_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0055 J	ND	ND	ND	0.012 J	ND	ND	ND	ND	ND		
	PSW-1	PSW-1-06172014	17-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-1-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-1-06302014	30-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-1-07082014	08-Jul-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-1_07232014	23-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		DUP2_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-1_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-1_08202014	20-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
PSW-1_09032014		03-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
PSW-1_09172014		17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		

**Summary of Analytical Testing Results
Perfluorinated Compound Monitoring Program
Pease Air Force Base, New Hampshire**

Well Type		Sample Location	Collection Date	6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamide (EtFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamide (MEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluoroheptane sulfonate (PFHpS)	Perfluoroheptanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTrDA)	Perfluoroundecanoic acid (PFUnA)				
USEPA Provisional Health Advisory (PHA)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.4	-	-	-	-				
Sentinel Well	PSW-2	PSW-2-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
		PSW-2-06262014	26-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
		PSW-2-07012014	01-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-2-07082014	08-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-2_07232014	23-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		PSW-2_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		DUP2_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		PSW-2_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		PSW-2_09032014	03-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		PSW-2_09172014	17-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Grey text indicates the parameter was not analyzed or not detected.
All concentrations in µg/L - micrograms per liter
All values in micrograms per liter
D - duplicate sample
J - The result is an estimated value.
B - Detected in Blank.

USEPA - Environmental Protection Agency
NA - Not Analysed
µg/L - micrograms per liter
ND - Not detected
PHA - Provisional Health Advisory screening value (EPA 2009)
— - No PHA available