

**Appendix D
Summary of PFC Analytical Results
Public Water Supply Monitoring Program
Former Pease Air Force Base, New Hampshire**

Well Type	Sample Location	Sample ID	Collection Date	6:2 Fluorotelomer sulfonate (6:2 FTS)	8:2 Fluorotelomer sulfonate (8:2 FTS)	N-Ethyl perfluorooctane sulfonamide (EtFOSA)	N-Ethyl perfluorooctane sulfonamidoethanol (EtFOSE)	N-Methyl Perfluorooctane Sulfonamide (MEFOSA)	N-Methyl Perfluorooctane Sulfonamidoethanol (MIEFOSE)	Perfluorobutanesulfonic acid (PFBS)	Perfluorobutanoic acid (PFBA)	Perfluorodecane sulfonate (PFDS)	Perfluorodecanoic acid (PFDA)	Perfluorododecanoic acid (PFDoA)	Perfluorohexane sulfonate (PFHpS)	Perfluorohexanoic acid (PFHpA)	Perfluorohexanesulfonic acid (PFHxS)	Perfluorohexanoic acid (PFHxA)	Perfluorononanoic acid (PFNA)	Perfluorooctane sulfonamide (PFOSA)	Perfluorooctanesulfonic acid (PFOS)	Perfluorooctanoic acid (PFOA)	Perfluoropentanoic acid (PFPeA)	Perfluorotetradecanoic acid (PFTeDA)	Perfluorotridecanoic acid (PFTDA)	Perfluoroundecanoic acid (PFUnA)		
USEPA Provisional Health Advisory (PHA)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Production Well	Smith Well	Smith-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.0095 J	ND	0.0042 J	ND	ND	ND		
		SMITH-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.0073 J	ND	ND	ND	ND	ND	
		SMITH-07022014	02-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	0.0058 J	ND	ND	ND	NA	ND	0.0098 J	0.003 J	ND	0.0026 J	0.012 J	ND	0.0033 J	ND	ND	ND	
		DW-DUP-07092014 (D)	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0061 J	ND	ND	ND	0.0043 J	ND	ND	ND	ND	ND	
		SMITH-07092014	09-Jul-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0062 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	
		SMITH-07162014	16-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.014 J	ND	ND	ND	0.0069 J	ND	ND	ND	ND	ND	
		SMITH_07242014	24-Jul-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0067 J	ND	ND	ND	0.008 J	ND	ND	ND	ND	ND	
		SMITH_08062014	06-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0082 J	ND	ND	ND	0.0072 J	ND	ND	ND	ND	ND	
		SMITH_08212014	21-Aug-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0083 J	ND	ND	ND	0.0068 J	ND	ND	ND	ND	ND	
		SMITH_09042014	04-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.0089 J	ND	ND	ND	ND	ND	
		SMITH_09172014	17-Sep-14	ND	ND	ND	0.0034 J	ND	0.0059 J	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.0078 J	ND	ND	ND	ND	ND	
		SMITH_09242014	24-Sep-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0026 J	ND	ND	ND	NA	ND	0.013 J	0.0035 J	ND	ND	0.0061 J	ND	0.0044 J	ND	ND	ND	
		SMITH_10012014	01-Oct-14	ND	ND	ND	0.0029 B	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.01 J	ND	0.0031 J	ND	ND	ND	
		SMITH_10082014	08-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.007 B	ND	ND	ND	NA	ND	0.014 J	0.0043 J	ND	ND	0.014 J	0.0053 J	0.0052 J	ND	ND	ND	
		SMITH_10162014	16-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.013 J	0.0037 J	ND	ND	0.011 J	ND	0.0067 J	ND	ND	ND	
		SMITH_10222014	22-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	0.0029 J	ND	ND	ND	NA	ND	0.013 J	ND	ND	ND	0.013 J	ND	ND	ND	ND	ND	
		SMITH_10292014	29-Oct-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.012 J	ND	ND	ND	0.011 J	ND	0.0051 J	ND	ND	ND	
		SMITH_11062014	06-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.012 J	ND	ND	ND	0.013 J	ND	0.0037 J	ND	ND	ND	
		SMITH_11122014	12-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0081 J	ND	ND	ND	0.0077 J	ND	ND	ND	ND	ND	
		SMITH_11192014	19-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0087 J	0.0028 J	ND	ND	0.011 J	ND	ND	ND	ND	ND	
		SMITH_11242014	24-Nov-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.011 J	ND	ND	ND	ND	ND	
		SMITH_12042014	04-Dec-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0091 J	ND	ND	ND	0.006 J	ND	ND	ND	ND	ND	
		SMITH_12122014	12-Dec-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.011 J	ND	ND	ND	ND	ND	
		SMITH_12162014	16-Dec-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0078 J	ND	ND	ND	0.0092 J	ND	0.0029 J	ND	ND	ND	
		SMITH_12222014	22-Dec-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0066 J	ND	ND	ND	0.0072 J	ND	ND	ND	ND	ND	
		SMITH_12302014	30-Dec-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.011 J	ND	0.0033 J	ND	ND	ND	
		Distribution Point	WWTP Distro Point	WTP-06182014	18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0063 J	ND	ND	ND	0.0069 J	ND	0.005 J	ND	ND	ND
				WTP-06252014	25-Jun-14	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	NA	ND	0.0092 J	ND	ND	ND	0.0066 J	ND	ND	ND	ND	ND
WTP-07022014	02-Jul-14			NA	NA	NA	NA	NA	NA	NA	ND	0.0059 J	ND	ND	ND	NA	ND	0.0082 J	0.0033 J	ND	ND	0.0098 J	ND	0.0056 J	ND	ND	ND	
WTP-07092014	09-Jul-14			NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
WTP-07162014	16-Jul-14			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.0038 J	ND	ND	ND	ND	ND	
WTP_07242014	24-Jul-14			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.0078 J	ND	ND	ND	0.0062 J	ND	ND	ND	ND	ND	
DES Office Distro Point	DES-OFC-06182014		18-Jun-14	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.011 J	0.0035 J	ND	ND	0.01 J	ND	0.0034 J	ND	ND	ND		
DES-OFC-06252014	25-Jun-14		NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0082 J	ND	ND	ND	0.0068 J	ND	ND	ND	ND	ND		
DES-OFC-07022014	02-Jul-14		NA	NA	NA	NA	NA	NA	NA	ND	0.0024 J	ND	ND	ND	NA	ND	0.0061 J	0.0037 J	ND	ND	0.0065 J	ND	ND	ND	ND	ND		
DES-OFC-07092014	09-Jul-14		NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	ND	NA	ND	0.0064 J	0.003 J	ND	ND	0.0059 J	ND	ND	ND	ND	ND		
DES-OFC-07162014	16-Jul-14		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.019 J	ND	ND	ND	0.014 J	ND	ND	ND	ND	ND		
DES-OFC_07242014	24-Jul-14		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.01 J	ND	ND	ND	0.011 J	ND	ND	ND	ND	ND		
DES-OFC_12122014	12-Dec-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	0.011 J	ND	ND	ND	0.011 J	ND	0.0045 J	ND	ND	ND			

