





Notes:

1. THE COPYRIGHT OF THIS DRAWING IS VESTED IN D.B.MOLIN & CO. AND IT MAY NOT BE REPRODUCED IN WHOLE OR PART OR USED FOR THE MANUFACTURE OF ANY ARTICLE WITHOUT THE EXPRESS PERMISSION OF THE COPYRIGHT HOLDERS.
2. WORK TO FIGURED DIMENSIONS ONLY.
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, SERVICE ENGINEER'S AND D.B.MOLIN & CO. DRAWINGS AND SPECIFICATIONS.

A			
REV:	DESCRIPTION:	BY:	DATE:
STATUS: FOR APPROVAL			



CLIENT: Nielson

ARCHITECT: D.B.Molin & Co.  
456 Brixham Rd  
Eliot, ME  
603.231.2727

SITE:			
TITLE: As-Built East Elevation			
SCALE AT A3: N.A.	DATE: 7.21.22	DRAWN: Molin	CHECKED:
PROJECT NO:	DRAWING NO:	REVISION:	a

### Frame Plan


Diamond Pier footings 8' O.C.

2 X 10 PT triple girder

2 X 10 PT 16" O.C.

Composite decking and rails

PVC trim



### Notes:

1. THE COPYRIGHT OF THIS DRAWING IS VESTED IN D.B.MOLIN & CO. AND IT MAY NOT BE REPRODUCED IN WHOLE OR PART OR USED FOR THE MANUFACTURE OF ANY ARTICLE WITHOUT THE EXPRESS PERMISSION OF THE COPYRIGHT HOLDERS.
2. WORK TO FIGURED DIMENSIONS ONLY.
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, SERVICE ENGINEER'S AND D.B.MOLIN & CO. DRAWINGS AND SPECIFICATIONS.

### Proposed Building Plan View

Showing deck and breezeway extension

A			
REV:	DESCRIPTION:	BY:	DATE:
STATUS: FOR APPROVAL			



CLIENT: Nielson

ARCHITECT: D.B. Molin & Co.  
456 Brixham Rd  
Eliot, ME  
603.231.2727

SITE:

TITLE: Proposed Plan View

SCALE AT A3: N.A.	DATE: 8.11.22	DRAWN: Molin	CHECKED:
PROJECT NO:	DRAWING NO:	REVISION:	a



Notes:

1. THE COPYRIGHT OF THIS DRAWING IS VESTED IN D.B.MOLIN & CO. AND IT MAY NOT BE REPRODUCED IN WHOLE OR PART OR USED FOR THE MANUFACTURE OF ANY ARTICLE WITHOUT THE EXPRESS PERMISSION OF THE COPYRIGHT HOLDERS.
2. WORK TO FIGURED DIMENSIONS ONLY.
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, SERVICE ENGINEER'S AND D.B.MOLIN & CO. DRAWINGS AND SPECIFICATIONS.

A			
REV:	DESCRIPTION:	BY:	DATE:
STATUS: FOR APPROVAL			



CLIENT:	Nielson
ARCHITECT:	D.B.Molin & Co. 456 Brixham Rd Eliot, ME 603.231.2727

SITE:			
TITLE: As-Built North Elevation			
SCALE AT A3:	DATE:	DRAWN:	CHECKED:
N.A.	7.20.22	Molin	
PROJECT NO:	DRAWING NO:	REVISION:	
			a

STYLE CHECKOUT

SIZE **Base Model**

SIDING **Style:** Victorian Cottage

COLORS **Size:** 10' x 20'

LAYOUT **Shingle:** Standard

EXTRAS **Shingle Color:** Black

CHECKOUT **Siding:** Cedar Tongue And Groove

**Siding Color:** Cedar

**Shutter Color:** Black

**Extra Options**

Shutters, Double Door Ramp, Bottom Trim, Large Windows, Cottage Vents, Interior Light, PT Plywood Floor


---

TOTAL \$15,289.00

**ORDER NOW**

◀ BACK NEXT

Current Selection  
10' x 20', Victorian Cottage,  
Cedar Tongue And Groove, Layout 7



**Please Note:**  
Due to the pandemic, we are currently experiencing increased demand and longer than usual lead times. We appreciate your patience & understanding while we fulfill your order. Thank you

Order this shed  
**\$15,289.00**  
Checkout

**CONNECT WITH US**

(<https://www.facebook.com/ReedsFerry>) (<https://twitter.com/ReedsFerry>) (<https://www.youtube.com/user/ReedsFerrySheds>)

Like 21K Follow

**CONTACT US**

888-85-SHEDS Email Us Fax: 603-882- 3 Tracy Lane

☆☆☆☆☆ Write a review

1 Questions \ 1 Answers

# AZEK PVC Porch Boards By TimberTech



AZEK PVC Porch Boards by TimberTech - Oyster



material that resists water damage, stains, fading, and scratching.

AZEK PVC Porch Boards install with a simple tongue-and-groove system. That creates a smooth, seamless walking surface that feels solid underfoot and keeps your porch surface fastener-free.

Six bold color options come with a range of natural-looking wood textures, from a textured brushing to an eye-catching cathedral wood grain. AZEK PVC Porch Boards by TimberTech come in 10-foot, 12-foot, and 16-foot lengths and two different widths to create the unique porch design of your choice.

AZEK Porch colors match the striking tones of TimberTech's AZEK PVC deck boards to create a perfect style match for all your outdoor living spaces.

*TimberTech AZEK Porch Boards should be installed under a covered porch or overhang. Water will not drain through the tongue-and-groove boards.*

## SPECIFICATIONS

DecksDirect #: 44377

Brand:



Documentation:

[AZEK Porch Board Installation Guide](#)

[AZEK Porch Board Care and Cleaning Guide](#)

[AZEK Porch Board Code Report](#)

[AZEK Porch Board Fire Rating Report](#)

<b>Finishes</b>	Coastline, Dark Hickory, Mahogany, Oyster, Slate Gray and Weathered Teak
<b>Collection</b>	Porch
<b>Material Type</b>	PVC
<b>Pack Size</b>	(1) Board
<b>Board Type</b>	Interlocking Tongue and Groove <i>Must be installed under overhang. Water will not drain.</i>



**Lengths Available**

10 ft, 12 ft or 16 ft

**Widths Available**

3-1/8 in and 5-1/2 in

**Actual Dimensions  
(width x thickness x length)**

3-1/8 in: 3-1/8 in x 1 in x 10 ft, 12 ft or 16 ft  
5-1/2 in: 5-1/2 in x 1 in x 12 ft or 16 ft

DECKFAST® Trim Head Deck Screws By Starborn

**Recommended Fasteners**

**AZEK Recommendations**

- Minimum #7 x 2 in 305 stainless steel trim head screw with #17 drill point
- When using a pneumatic flooring nailer, AZEK suggests using barbed/serrated 2 in stainless steel cleat "T" nails or "L" cleats.
- For salt water coastal applications, use 316 stainless steel fasteners.

**Warranty**

View TimberTech Warranty Information  
Purchaser must register their product to ensure warranty coverage.

**COMPLETE YOUR PROJECT**



TimberTech AZEK Trim PVC Fascia Board



HEADCOTE® Stainless Steel Deck Screws by Starborn



Natchez Aluminum Column Post Kit by AFKO



# Customer Quote

Quote: 3681143

Date: 09/02/22

Page: 1

BEN MOLIN  
PORTSMOUTH PROJECT


ELDREDGE LBR&HDWE-YORK-BPD

699 US RTE 1

YORK ME 03909  
(207)363-2004



**Reference:**

Quantity	UOM	Item/Description	Price/UOM	Amount
1.0000	EA	EXT SU EXTERIOR DOOR UNIT WOOD DOOR, SGL, LH, OS, 3-0, 6-8 HGT, F 37504U-W LE, SGL & 218 DBLT BORE & SEC, PREP JAMB FOR DBLT, 3 NRP ZINC RADIUS, 6-9/16, COMPOSITE PRIMED FRAME, BRONZE COMPRESSION WS, OUTSWING ALUM MILL SILL, 2" OS SILL ADAPTER, NO CASING, NO HORNS	1,581.93/EA	1,581.93





**Door w/WaterBarrier & SDL**


<b>Total</b>	<b>1,581.93</b>
<b>Tax 5.5000%</b>	87.01
<b>Grand Total</b>	<b>1,668.94</b>



Home > Products > Railing > Classic Composite Series




FREE SAMPLES



COST CALCULATOR



GET A QUOTE




★★★★☆ 3.8 (16) Write a review

The Classic Composite Series is a simple system with endless design options to complement your home. Choose from five top rails and multiple infill options for a customized look to suit your style. You can't go wrong with this long-lasting, beautiful railing.


**TOP RAIL SHAPE Trademark Rail™**



**COLOR Matte White**



**SAMPLE SIZE**



**\$0.00**



ADD TO CART

SHARE THIS COLOR

SHARE THIS PAGE



DETAILS

**OPTIONS & DIMENSIONS**

ACCESSORIES

FAQS


REVIEWS

**Universal Rail Packs**

Includes: Top & Bottom Support Rails, Bottom Rail, Endblocks, and Hardware (Top Rail sold separately)




FREE SAMPLES



COST CALCULATOR



GET A QUOTE



Standard Pack (for use with composite balusters)

Custom Pack (for use with infills other than composite balusters)

- Section Size Options: 6', 8', and 10' sections
- Colors: White, Matte White, Black, Matte Espresso

### Universal Rail Kits

Includes: Top & Bottom Support Rails, Bottom Rail, Footblocks, Hardware and Composite Balusters (Top Rail sold separately)

- Section Size Options: 6' and 8' sections
- Colors: White, Matte White, Matte Espresso

### Top Rail Options

Premier Rail

- Actual dimensions: 3.5" x 2.6"
- Lengths available: 6', 8' and 10'
- Available in White, Matte White, Black, Matte Espresso

Radiance Rail

- Actual dimensions: 2.9" x 2.9"
- Lengths available: 6', 8' and 10'
- Available in White, Matte White, Black, Matte Espresso

Trademark Rail

- Actual dimensions: 3.5" x 2.6"
- Lengths available: 6', 8' and 10'
- Available in White, Matte White

Drink Rail (Universal Rail needed for use with deck board)


- Actual dimensions: See dimensions for a Standard Width or Wide Width deck board (full profile ONLY)
- Universal Rail Lengths available: 6', 8' and 10'
- Compatible with all Classic Composite Series Railing Infills except for glass

Contemporary Rail

- Available in Classic Black and Traditional Walnut ONLY. Please note that these colors are different from the Classic Composite colors and will not be an exact match.
- Actual dimensions: 6.4" x 1"
- Lengths available: 16'



FREE SAMPLES



COST CALCULATOR



GET A QUOTE

Chat with us

WHERE TO BUY

- Composite balusters: Square (Available in White, Matte White, Black, Matte Espresso)
- Aluminum balusters: Square and Round (black only)\*
- CableRail\*
- Glass Channel Kit (glass sold separately)\*

\*Custom rail pack required

#### **Post Sleeves, Post Caps, and Post Skirt Options:**

- All available in White, Matte White, Black, Matte Espresso

#### **4" x 4" Post Options**

##### Post Sleeves

- Actual dimensions: 4" x 4"
- Lengths available: 39" and 96"

##### Post Caps

- Standard Post Cap Dimensions: 5.6" x 5.6" x 1.2"
- Island Post Cap

##### Post Skirt

- Actual Dimensions: 5.62" x 5.62" x 1.1"

#### **5" x 5" Post Options**

##### Post Sleeves

- Actual dimensions: 5.5" x 5.5"
- Lengths Available: 42", 96" and 144"

##### Post Caps

- Standard Post Cap Dimensions: 7.1" x 7.1" x 2.5"

##### Post Skirt\*

\*Special Order - Please allow for extended lead times

#### **5.5" x 5.5" Post Options**

##### Post Sleeves

- Actual dimensions: 5.5" x 5.5"
- Lengths Available: 39", 54" and 144"

##### Post Caps


- Pyramid Post Cap Dimensions: 7.1" x 7.1" x 2.5"
- Island Post Cap Dimensions: 8.3" x 8.3" x 1.6"

##### Post Skirt

- Actual Dimensions: 8" x 8" x 1.7"




**FREE SAMPLES**



**COST CALCULATOR**



**GET A QUOTE**



# Classic Composite Series Railing System

See how the components come together

## Step 1: Select Top Rail



Premier Railing®




RadianceRail®



Trademark Rail™



Drink Rail



Contemporary Rail  
Only available in Classic Black  
and Traditional Walnut

## Color Options



WHITE



BLACK



MATTE  
WHITE




MATTE  
ESPRESSO

## Step 2: Select Infill




FREE SAMPLES



COST CALCULATOR



GET A QUOTE




Chat with us  
WHERE TO BUY



Composite Balusters



Cablerail



Aluminum Round or Square Balusters (Black Only)




Glass Channel Kit (Glass not included)

**Step 3: Select Post Sleeves and Caps**

## What Defines The Classic Composite Series?




FREE SAMPLES



COST CALCULATOR



GET A QUOTE





ELDREDGE HOME GALLERY  
 699 US RTE 1  
 YORK, ME. 03909  
 Tel: 207-351-1043  
 Fax:  
 Email: rfifield@eldredgelumber.com

Proud Supplier of:  
  
 MATHIEWS BROTHERS  
 AMERICA'S OLDEST WINDOW MANUFACTURER

Customer QUOTATION
-----------------------

**BILL TO:**

**SHIP TO:**

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
612367	None		8/1/2022 3:54:36 PM
QUOTED BY	TERMS	PROJECT NAME	QUOTE NAME
Rob Fifield		MOLIN, BEN	2 WDWS

LINE #	QTY	SUB-LINES
--------	-----	-----------

100

1

2



LINE #	DESCRIPTION	QTY	LIST PRICE	NET PRICE	EXTD. PRICE
100-1		1	\$925.07	\$604.07	\$604.07

Walcott New Construction Double Hung  
 33.5 X 63.25 Unit Size, White, Insul Low-E & Argon  
 Tempered, DLO Width Equal, 2/2 Lite SDL, 7/8", White  
 Simulated Divided Lite w/ Spacer Bar, 28.625 X 24.625  
 Clear Opening, 4.895 SQFT, White Dual Lock, No Window  
 Opening Control Device, White Standard Tilt Latch, Insert  
 White Full Screen Shipped Loose  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.3, SHG: 0.27, VLT: 0.49, CR: 56



Mathews Brothers' Windows specified with Tempered Glass cannot be canceled or modified once an order is placed. There will be no grace period provided for Windows specified with Tempered Glass as they will enter into a production schedule immediately. Please review the specifications for this Window with Tempered Glass carefully to ensure they are correct prior to ordering.

Opening: 34" X 63.75"  
 O.S.M.: 33.5" X 63.25"

Tag: None Assigned



QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
612367	None		8/1/2022 3:54:36 PM
QUOTED BY	TERMS	PROJECT NAME	QUOTE NAME
Rob Fifield		MOLIN, BEN	2 WDWS

LINE #	DESCRIPTION	QTY	LIST PRICE	NET PRICE	EXTD. PRICE
100-2	Screen1	1	\$0.00	\$0.00	\$0.00

Insert Full Screen Shipped Loose

Opening: 0" X 0"  
O.S.M.:

Tag: None Assigned

LINE #	DESCRIPTION	QTY	SUB-LINES
200		1	2



LINE #	DESCRIPTION	QTY	LIST PRICE	NET PRICE	EXTD. PRICE
200-1		1	\$1,376.07	\$898.57	\$898.57

Walcott New Construction Double Hung  
33.5 X 63.25 Unit Size, White, Insul Low-E & Argon /  
Obscure Tempered, DLO Width Equal, 2/2 Lite SDL, 7/8",  
White Simulated Divided Lite w/ Spacer Bar, 28.625 X  
24.625 Clear Opening, 4.895 SQFT, White Dual Lock, No  
Window Opening Control Device, White Standard Tilt  
Latch, Insert White Full Screen Shipped Loose  
w/Nailing Flange, w/J Channel, No Exterior Casing  
Unit 1: UFactor: NR, SHG: NR, VLT: NR, CR: NR



Mathews Brothers' Windows specified with Tempered Glass  
cannot be canceled or modified once an order is placed.  
There will be no grace period provided for Windows  
specified with Tempered Glass as they will enter into a  
production schedule immediately. Please review the  
specifications for this Window with Tempered Glass  
carefully to ensure they are correct prior to ordering.

Opening: 34" X 63.75"  
O.S.M.: 33.5" X 63.25"

Tag: None Assigned

LINE #	DESCRIPTION	QTY	LIST PRICE	NET PRICE	EXTD. PRICE
200-2	Screen1	1	\$0.00	\$0.00	\$0.00

Insert Full Screen Shipped Loose


Opening: 0" X 0"  
O.S.M.:

Tag: None Assigned

QUOTE #	STATUS	CUSTOMER PO#	DATE QUOTED
612367	None		8/1/2022 3:54:36 PM
QUOTED BY	TERMS	PROJECT NAME	QUOTE NAME
Rob Fifield		MOLIN, BEN	2 WDWS

LINE #	DESCRIPTION	QTY	LIST PRICE	NET PRICE	EXTD. PRICE
300-1		1	\$545.08	\$355.94	\$355.94

Walcott New Construction Awning  
 AW2424, Operating, White, Insul Low-E & Argon, 4 Lite  
 SDL, 7/8", White Simulated Divided Lite w/ Spacer Bar,  
 White Handle & Lock, White Screen Applied  
 w/Nailing Flange, w/J Channel, No Exterior Casing  
 Unit 1: UFactor: 0.27, SHG: 0.25, VLT: 0.46, CR: 59  
 Energy Star Qualified (Northern)



Opening: 24" X 24"  
 O.S.M.: 23.5" X 23.5"

Tag: None Assigned

All Prices are net. Please review all quantities, specifications, and information for accuracy.  
 Special orders can not be returned for credit. Signature implies acceptance of these  
 specifications. Your order will not be processed without authorized signature.

SUB-TOTAL:	\$1,858.58
LABOR:	\$0.00
FREIGHT:	\$0.00
SALES TAX:	\$102.22
TOTAL:	\$1,960.80

**Thank you for all of your efforts!**

CUSTOMER SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

We appreciate the opportunity to provide you with this quote!