

City of Portsmouth, New Hampshire
Bid# 40-24
Annual Chemical Bid

INVITATION TO BID

Sealed bid proposals, **plainly marked “Annual Chemical Bid# 40-24” on the outside of the mailing envelope, as well as the sealed bid envelope**, addressed to the Finance/Purchasing Department, City Hall, 1 Junkins Avenue, 3rd Floor, Portsmouth, New Hampshire, 03801 will be accepted until **2:00 p.m. Thursday April 11, 2024** at which time all bids will be publicly opened and read aloud.

Specifications and bid proposal forms may be obtained by visiting the City of Portsmouth website at www.cityofportsmouth.com/finance/purchasing.htm.

Any related addenda to this bid, including written answers to questions, will be posted on the City of Portsmouth website at <http://www.cityofportsmouth.com/finance/purchasing.htm> under the appropriate project heading. Questions may be directed to the Purchasing Coordinator at purchasing@cityofportsmouth.com by Monday April 1, 2024 @ 4:00 p.m.

Addenda and updates will NOT be sent directly to vendors. It is recommended that any vendor submitting a bid, check the web site daily for addenda and updates after the release date. Vendors should print out, sign and return addenda with their bid proposal. Failure to do so may subject a bidder to disqualification.

The City of Portsmouth reserves the right to reject any or all bids, to waive technical or legal deficiencies, to re-bid, and to accept any bid that it may deem to be in the best interest of the City.

City of Portsmouth Annual Chemical Bid

Instruction to Bidders

Intention:

It is the intent of this proposal to establish one year agreements to supply and deliver chemicals used in the operation of three municipal swimming pools (two indoor, one outdoor), two potable water treatment plants and two wastewater treatment plants and the Department of Public Works.

Special Instructions:

Any quantity specified is an estimate only. The City of Portsmouth will purchase just the quantities necessary, at various times, to perform the intended operation. The purchased quantities may be equal to, less than, or greater than, the estimate.

Bid prices shall be firm from July 1, 2024 thru June 30, 2025. Successful bidders (known as "suppliers") shall be expected to perform (i.e. make deliveries) through July 15, 2025 at the bid price. Bid prices shall be inclusive of all taxes, charges or other fees.

All bid prices shall be FOB delivered to the specific municipal destination. No added freight or handling charges will be allowed. Minimum orders which are greater than estimated delivery quantities are not acceptable.

Deposits for cylinders, pallets, or other containers shall be refundable and incidental to the award of bids.

Each chemical will be awarded separately. This proposal does not require any bidder to submit an "all-or-nothing" bid. The City anticipates awards to multiple suppliers.

Each item bid shall include the chemical analysis and the origin of manufacture. Any variation between these specifications and bid must be listed separately. Each bidder shall submit a **Certificate of Compliance** for each chemical bid.

Samples may be required for testing purposes. No charges for these samples will be allowed. All unused trial chemicals and their containers must be removed from the test site, at no cost to the City, within 10 working days of the trial.

General Instructions:

1. Preparation of Bid Proposal
 - a) The bidder shall submit their proposal upon the form furnished by the City (attached). All figures shall be in ink or typed. Corrections shall be in ink or typed, and initialed.
 - b) The bidder's proposal must be signed with ink by the individual, by one or more members of the partnership, by one or more members or officers of each firm representing a joint venture; by one or more officers of a corporation, or by an agent of the contractor legally qualified and acceptable to the owner. If the proposal is made by an individual, his name and post office address must be shown. If by a partnership the name and post office address of each partnership member must be shown. If as a joint venture, the name and post office address of each must be shown. If by a corporation, the name of the corporation and its business address must be shown, together with the name of the state in which it is incorporated, and the names, titles, and business addresses of the President, Secretary, and Treasurer.

Instruction to Bidders
(Continued)

2. Disqualification

Bid proposals may be disqualified and rejected for any of the following reasons:

- a) If the proposal is on a form other than that furnished by the City or if the form is altered;
- b) If the proposal contains unauthorized additions, conditions or altered bids;
- c) Evidence of collusion among bidders;
- d) Failure to submit all required information as requested in the specifications;
- e) Product fails to meet specifications/testing/performance certificate;
- f) Disqualification is in the best interest of the City.

3. Delivery of Bid Proposals

When sent by mail, the sealed proposal shall be addressed to the Owner at the address and in the care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the invitation for bids. Proposals received after the time for opening of the bids will be returned to the bidder, unopened. Faxed bid proposals are not acceptable.

4. Withdrawal of Bid Proposals

A bidder will be permitted to withdraw the proposal unopened after it has been deposited if such request is received in writing prior to the time specified for opening the proposals.

Award:

After the bids are opened and read, the lowest, responsible and qualified bidders for each chemical will be identified. Responsible and qualified bidders are those that have: the ability, capacity, and skill to perform within the specified time limits; the quality, availability and adaptability of the supplies; the financial resources to fulfill the contract. Bid results will be available to the public.

Within 30 calendar days after the opening of bids, awards will be made separately for each chemical to the lowest responsible and qualified bidder whose bid complies with all the requirements prescribed. Bidders will be notified by email that the bid has been accepted and that an award has been made.

If the award is contingent upon successful bench testing of the chemical(s), the bidder will be notified by mail, and shall have 15 days from the date of notification to perform tests. Failure to perform the testing within 15 days will result in disqualification.

The award shall not be considered official until such time that a Purchase Order, fully executed contract or an award letter has been issued by the City of Portsmouth. No presumption of award shall be made by the bidder until such documents are in hand. Verbal notification of award is not considered official. Any action by the bidder to assume otherwise is done so at his/her own risk and the City will not be held liable for any expense incurred by a bidder that has not received an official award.

Reservation of Rights:

The City reserves the right to reject any or all proposals, to waive technicalities and to advertise for new proposals, if in the judgment of the City, the best interest of the City of Portsmouth will be promoted thereby.

Chemical quantities set forth in this bid proposal are estimates only. The City shall purchase only those quantities of chemicals actually needed for the facility. All purchases are subject to the appropriation of funds for that facility/program.

Instruction to Bidders
(Continued)

Terms of Award:

Those successful bidders ("suppliers") to whom an award is made shall be required to meet the performance standards outlined in the bid specifications and as described below.

1. Transportation of chemicals shall be done only in vehicles capable of handling the material in accordance with State and Federal transportation handling and safety requirements and permits if applicable. Supplier shall, if requested by the City, produce documentation to demonstrate compliance with such requirements. Vehicles shall be capable of loading and unloading the chemicals as described for each chemical in the bid specifications. It shall be the contractor's responsibility to have the proper fittings to connect to the existing fittings at each delivery site.
2. All drivers shall be licensed for the size and type of vehicle operator.
3. All suppliers shall carry insurance which meets the minimum amounts set forth in the Insurance Requirements set forth as Exhibit A.
4. Suppliers will indemnify City against all suits, claims, judgments, awards, loss, cost or expense (including without limitation attorneys' fees) arising in any way out of the supplier's negligence or breach of its obligations or warranties under this Contract. Supplier will defend all such actions with counsel satisfactory to City at its own expense, including attorneys' fees, and will satisfy any judgment rendered against City in such action
5. Deliveries shall be made upon order as described in the Bid Specifications.
6. Chemicals shall meet all specifications and perform per City requirements and needs. City may require jar tests or trial periods to assure that performance of chemicals meet the requirements. Samples of deliveries shall be obtained from the tank by the driver and provided to City personnel for testing prior to accepting delivery. City personnel have the right to reject delivery if chemical analysis identifies deviation from product specifications.
7. All suppliers shall notify the City (Portsmouth Water Treatment Plant – Madbury, Pease Water Treatment Plant, Newington Booster Station, Municipal Indoor Swimming Pool, Municipal Outdoor Swimming Pool, Spinnaker Point Adult Recreation Swimming Pool, Wastewater Treatment Plant Peirce Island, Wastewater Treatment Plant Pease, Public Works Department) with delivery date and a confirmation including name of driver who will deliver the chemicals. Additionally, all suppliers are required to notify the City when deliveries will be late and/or when the delivery amount will be a smaller than the expected delivery amount.
8. All invoices will have a reference number that matches to the delivery slip and shall indicate the chemical (specifying the percentage in liquid form as described in the bid specifications) and the unit of measurement shall be in accordance with the bid unit price. Invoices shall be paid no later than 30 days from the date of the receipt of the invoice.
9. The City reserves the right to deduct up to five percent (5%) from the total invoice for missed but later delivered, and late deliveries, or to deduct it's expenses incurred such as overtime, whichever may be greater, when such failures to perform are not due to extremes in weather or other conditions that are not reasonably foreseeable or within the control of the supplier. Such late

Instruction to Bidders
(Continued)

penalty shall not be construed as the sole remedy for the supplier's failure to perform timely. Failure to perform may lead to cancellation.

11. All unused trial chemicals and their containers must be removed from the test site, at no cost to the City, within 10 business days of a current trial or past trials. Failure to remove trial chemicals and their containers may subject a vendor to disqualification.
12. Bid prices shall be firm until June 30, 2025. Successful bidders (known as "suppliers") shall be expected to perform (i.e. make deliveries) through July 15, 2025 at the bid price. Bid prices shall be inclusive of all taxes, charges or other fees.

The City of Portsmouth reserves the right to negotiate a one year extension of the award beyond the expiration date for each individual chemical if it is in the best interest of the City.

Cancellation of Award:

The City reserves the right to cancel the award should the supplier fail to perform in accordance with the terms of this award. If the City cancels the award, the City reserves the right to solicit the chemical from the next lowest bidder or other available sources as may be necessary to meet needs. Any expense incurred from this action may be the responsibility of the supplier who did not meet the requirements.

City of Portsmouth, New Hampshire

Annual Chemical Bid

Delivery Locations

Portsmouth Water Treatment Plant - Madbury

60 Freshet Road
Madbury, New Hampshire
Phone: 603-516-8360
Fax: 603-427-1539 (Public Works) Attn: Mark Young, Assistant Chief Plant Operator

Pease Water Treatment Plant

Pease International Tradeport
97 Grafton Drive
Portsmouth NH 03801
Phone: 603-957-8430
Fax: 603-427-1539 (Public Works) Attn: Tim Green, Water Supply Foreman

Newington Water Booster Station

165 Arboredum Drive
Portsmouth, NH 03801
Phone: 603-516-8360
Fax: 603-427-1539

Municipal Indoor Swimming Pool

48 Andrew Jarvis Drive
Portsmouth, New Hampshire
Phone: 603-427-1546
Fax: 603-433-8819

Municipal Outdoor Swimming Pool

99 Peirce Island
Portsmouth, New Hampshire
Phone: 603-433-0039
Fax: 603-433-8819

Spinnaker Point Adult Recreation Facility

30 Spinnaker Way
Portsmouth, NH 03801
Phone: 603-766-1484
Fax: 603-766-1483

Wastewater Treatment Plant- Peirce Island

200 Peirce Island
Portsmouth, New Hampshire
Phone: 603-427-1553
Fax: 603-766-4422

Wastewater Treatment Plant- Pease

135 Corporate Drive
Pease International Tradeport
Portsmouth, New Hampshire
Phone: 603-430-9328
Fax: 603-430-2177

Public Works Department

680 Peverly Hill Road
Portsmouth, NH 03801
Phone: 603-427-1530
Fax: 603-427-1539

Bid Specifications Annual Chemical Bid

1) 25% Caustic Soda

(i)

Estimated quantity: 73,000 gallons per year
Delivery location: Water Treatment Plant - Madbury
Description: 25% Caustic Soda
 Must conform to AWWA Standard B501-93. Flexible delivery amounts from 2,000 to 4,000 gallons per order. Deliveries will require the use of a compressor.
 All deliveries must be received between the hours of 7:30am and 2:00pm Monday through Friday*.

(ii)

Estimated quantity: 100,000 gallons per year
Delivery location: Peirce Island Wastewater Treatment Plant
Description: 25% Caustic Soda
 Must conform to AWWA Standard B501-93, 2,000 gallon deliveries to an underground 4,300 gallon tank.
 All deliveries must be received between the hours of 7:30am and 2:00pm, Monday through Friday*.

2) 25% Hydrofluosilic Acid

Estimated quantity: 4,500 gallons per year
Delivery location: Water Treatment Plant - Madbury
Description: 25% Hydrofluosilic Acid (H_2SiF_6)
 Must conform to AWWA Standard B703-89, delivered in 15 gallon carboys.
 Delivery truck/trailer must have power tailgate.
Empty carboys must be removed from site by vendor.
 All deliveries must be received between the hours of 7:30am and 2:00pm, Monday through Friday*.

3) 97% Sodium Fluoride – Granular/Particulate

Estimated quantity: 2,500 lbs. per year
Delivery location: Pease Water Treatment – 97 Grafton Rd. Portsmouth
Description: 97% Sodium Fluoride – Granular/Particulate
 Must conform to American Water Works Association (AWWA) Standard B-701 and be National Sanitary Foundation (NSF) Standard 60 Certified.
 Flexible delivery amounts from 500 lbs. to 2,000 lbs. per order.
 Delivery truck must have power liftgate.
 All deliveries must be received between the hours of 7:30am and 2:00pm, Monday through Friday*.

***NOTE: ALL DELIVERIES OF FLUORIDE CHEMICALS AND CAUSTIC SODA SHALL BE MADE WITHIN 48 HOURS OF ORDER UNLESS OTHERWISE DIRECTED BY THE CITY.**

**Bid Specifications
Annual Chemical Bid
(continued)**

4) Liquid Sodium Hypochlorite

- | | |
|----------------------------|---|
| Estimated quantity: | 250 gallons per year |
| Delivery location: | Municipal Indoor/Outdoor Swimming Pool |
| Description: | Sodium Hypochlorite 12.5%
Must conform to AWWA Standard B300-92,
delivered in 5 gallon and 55-gallon drums. |
| (i) Indoor Pool: | Delivery quantity – 20 5 gal drums. |
| (ii) Outdoor Pool: | Delivery quantity - 4-8 55 gal drums.
Delivery truck/trailer must have power tailgate
All deliveries must be received between the hours of 8:00am and
2:00pm, Monday through Friday*. |
|
 | |
| (iii) | |
| Estimated quantity: | 25,000 gallons per year |
| Delivery location: | Water Treatment Plant - Madbury |
| Description: | Sodium Hypochlorite 12.5%
Must conform to AWWA Standard B300-92,
Minimum 1,600 gallon delivery .
Delivery truck/trailer will require a compressor.
All deliveries must be made between the hours of 7:30am and
2:00pm, Monday through Friday*. |
|
 | |
| (iv) | |
| Estimated quantity: | 210,000 gallons per year |
| Delivery location: | Peirce Island Wastewater Treatment Plant |
| Description: | Sodium Hypochlorite 12.5%
Must conform to AWWA Standard B300-92,
5,000/6,500 gallon deliveries into two 10,000 gallon above
ground tanks.
All deliveries must be made between the hours of 7:30am and
2:00pm, Monday through Friday*. |
|
 | |
| (v) | |
| Estimated quantity: | 60,000 gallons per year |
| Delivery location: | Pease Wastewater Treatment Plant |
| Description: | Sodium Hypochlorite 12.5%
Must conform to AWWA Standard B300-92.
3,500 gallon deliveries shall be made to a 5,800 gallon above
ground tank.
All deliveries must be made between the hours of 7:30am and
2:00pm, Monday through Friday*. |
|
 | |
| (vi) | |
| Estimated quantity: | 12,000 gallons per year |
| Delivery location: | Newington Booster Station |
| Description: | Sodium Hypochlorite 12.5%
Must conform to AWWA Standard B300-92,
Minimum 800 gallon delivery.
Delivery truck/trailer will require a compressor.
All deliveries must be made between the hours of 7:30am and
2:00pm, Monday through Friday*. |

**Bid Specifications
Annual Chemical Bid
(continued)**

(vii)

Estimated quantity: 2,500 gallons per year
Delivery location: Pease Water Treatment – 97 Grafton Rd. Portsmouth
Description: Sodium Hypochlorite 12.5%
 Must conform to AWWA Standard B300-92,
 Minimum **100 gallon** delivery.
 Delivery truck/trailer will require a compressor.
 All deliveries must be made between the hours of 7:30am and 2:00pm, Monday through Friday*.

***NOTE: ALL DELIVERIES OF LIQUID SODIUM HYPOCHLORITE SHALL BE MADE WITHIN 48 HOURS OF ORDER UNLESS OTHERWISE DIRECTED BY THE CITY.**

5) Hydrochloric Acid

Estimated quantity: 140 gallons per year
Delivery location: Outdoor Swimming Pool
Description: Muriatic Acid, 50% strength

(i) Outdoor Pool

Delivery quantities - 1 55 gal drum
 Delivery truck/trailer must have power tailgate
 Deliveries are to be made within 5 business days from date of order.
 All deliveries must be received between the hours of 8:00am and 2:00pm Monday through Friday.

6) Sodium Bisulfite (Split Delivery)

(i)

Estimated quantity: 75,000 gallons per year
Delivery location: Peirce Island Wastewater Treatment Plant in 4,000 gallon deliveries.
Description: Sodium Bisulfite 38%
 4,000 gallon delivery to a 10,000 gallon above ground tank.
 A percentage of the delivery will be made to Pease Wastewater Treatment Plant as described below and the remainder to the Peirce Island WWT Plant.
 The City will not incur any additional costs for concentrations greater than 38%. All deliveries must be received by noon, Monday through Friday*.

(ii)

Estimated quantity: 25,000 gallons per year
Delivery location: Pease Wastewater Treatment Plant in 1,000 gallon deliveries
Description: Sodium bisulfite 38%
 1,000 gallon delivery to a 1,300 gallon above ground tank. After delivery to the Pease WWTP, the remainder is to be delivered to the Peirce Island WWTP as described above.
 The City will not incur any additional costs for concentrations greater than 38%. All deliveries must be received by noon, Monday through Friday*.
 In an emergency situation, it may be required that the vendor deliver only to the Pease Wastewater Treatment Plant. This is very unlikely

**Bid Specifications
Annual Chemical Bid
(continued)**

and the City would agree to pay an additional cost not to exceed more than 10% of the bid price for this delivery.

Price for sodium bisulfite as described above will be based on 4,000 gallons full delivery; the first delivery will be to Pease WWTP to top off their tank and the remainder will be delivered to Peirce Island WWTP (2 different locations).

***NOTE: ALL DELIVERIES OF SODIUM BISULFITE SHALL BE MADE WITHIN 48 HOURS OF ORDER UNLESS OTHERWISE DIRECTED BY THE CITY.**

7) Powdered Activated Carbon (PAC)

Estimated quantity: 2,700 pounds per year consisting of a delivery of a minimum of one (1) 900-pound bags net.

Delivery Location: Water Treatment Plant – Madbury

Description:

Powdered Activated Carbon (PAC)

The powdered activated carbon (PAC) shall be HYDRODARCO B manufactured by Norit Americas Inc. The PAC shall be produced by steam activation of lignite coal under carefully controlled conditions. It shall be finely ground to obtain a high degree of suspendability in water and to have a high capacity for adsorption of organics that cause taste and odor problems in water supplies. The PAC shall be packaged in 900-pound bags and the bags shall be manufactured by Norit Americas Inc. The bags shall be woven polypropylene bulk bags with a glued plastic liner. The PAC shall meet the physical and performance requirements of AWWA B-600-96 Carbon Standard. The product shall be certified to ANSI-NSF Standard 61 with a maximum use level of 250 mg/l. Its general surface area characteristics shall be 600 m²/g. Each 900 lb. bag shall be on a standard size pallet and wrapped in plastic to protect it from weather during shipment. Damaged pallets or unwrapped bags will not be accepted and replacement deliveries will be made within 48 hours.

All deliveries must be made between the hours of 7:30 am and 2:00 PM, Monday through Friday*. The delivery vehicle shall be equipped to provide the off-loading on-site of the nine hundred pound bags to an at grade location as directed by WTP personnel.

***NOTE: ALL DELIVERIES OF POWDERED ACTIVATED CARBON SHALL BE MADE WITHIN 1 WEEK OF ORDER UNLESS OTHERWISE DIRECTED BY THE CITY.**

**Bid Specifications
Annual Chemical Bid
(continued)**

8) Potassium Permanganate

Estimated Quantity: 12,800 pounds per year
Delivered in 125 Kg (320 pound) drums.

Delivery Location: Peirce Island Wastewater Treatment Plant

Description: The KmnO4 shall be manufactured by CAIROX or equivalent and shall be free flowing. The product shall meet AWWA specifications for water tolerance and particle size and must be NSF certified. Technical service shall be available for on-site assistance during the term of the contract. Technical service is defined as expertise in chemical treatment.

All deliveries must be made between the hours of 7:30 am and 2:00 PM, Monday through Friday*. The delivery vehicle shall be equipped to provide the off-loading on-site of the 320 pound drums to an at grade location as directed by WWTP personnel. The minimum delivery shall be 4 drums. All products shall be free flowing.

***NOTE: ALL DELIVERIES OF POTASSIUM PERMANGANATE SHALL BE WITHIN 24-48 HOURS OF ORDER UNLESS OTHERWISE DIRECTED BY THE CITY.**

9) Sodium Permanganate

(i)

Estimated Quantity: 4,000 gallons per year
Delivered in 275 gallon Intermediate Bulk Containers, typ. 2 per order.

Delivery Locations: Peirce Island Wastewater Treatment Plant

Description: The NaMnO4 shall be manufactured by CARUS or equivalent and shall be free flowing. The product shall meet AWWA Standard B603-10 specifications and must be ANSI/NSF 60 certified. Specific Gravity must be between 1.36 and 1.39. Technical service shall be available for on-site assistance during the term of the contract. Technical service is defined as expertise in chemical treatment.

All deliveries must be made between the hours of 7:30 am and 2:00 PM, Monday through Friday*. The delivery vehicle shall be equipped to provide the off-loading on-site of the IBC to an at grade location as directed by WWTP personnel. The minimum delivery shall be 4 drums. All products shall be free flowing.

(ii)

Estimated Quantity: 275 gallons per year
Delivered in 275 gallon Intermediate Bulk Containers.

Delivery Locations: Pease Wastewater Treatment

Description: The NaMnO4 shall be manufactured by CARUS or equivalent and shall be free flowing. The product shall meet AWWA Standard B603-10 specifications and must be ANSI/NSF 60 certified. Specific Gravity must be between 1.36 and 1.39. Technical service shall be available for on-site assistance during the term of the contract. Technical service is defined as expertise in chemical treatment.

All deliveries must be made between the hours of 7:30 am and 2:00 PM, Monday through Friday*. The delivery vehicle shall be equipped to provide the off-loading on-site of the IBC to an at grade location as directed by WWTP personnel. The minimum delivery shall be 4 drums. All products shall be free flowing.

**Bid Specifications
Annual Chemical Bid
(continued)**

10) Accu-Tab 3” Briquettes

Estimated quantity: 4,000 lbs. – 5,000 lbs.
Delivery location: Municipal Indoor Pool/Outdoor Pool/Spinnaker Point Indoor Pool
Description: Accu-Tab 3” Briquettes
 Used to sanitize pool water in a dry chlorinator system.
 65% Calcium Hypochlorite with a scale inhibitor.
 Delivered in 50-lb pails.
 Delivered quantities of 10/ 50 lb. pails to the Indoor Pool and for the Outdoor Pool 22-30/ 50-lb. pails.
 Deliveries are to be made within 24 to 48 hours of order unless otherwise directed by the City. All deliveries must be received between the hours of 8:00 am and 2:00 pm, Monday through Friday.

11) De-Watering Polymer

(i)
Estimated quantity: 1,375 gallons per year
Delivery Location: Pease Wastewater Treatment Plant
Description: De-Watering Polymer
 Product type must be Atlantic Coast NE2278 or equal.
 Liquid polymer is 275 gallon totes delivery.
 Deliveries are to be made within 24 to 48 hours of order unless otherwise directed by the City. Delivery truck must be equipped with a hydraulic tailgate for ground delivery
 All deliveries must be received by noon, Monday through Friday.

NOTE: Jar testing prior to bid opening is required for any new polymer. Free trial 5 gallon bucket is required prior to bid award if low bidder supplies other than those listed. Award will be based on total cost per dry ton and percent capture rate. New polymer must demonstrate the same or better performance than the current polymer in use.

(ii)
Estimated quantity 9,900 gallons per year
Delivery Location: Peirce Island Wastewater Treatment Plant
Description: De-Watering Polymer
 Polymer is to be supplied in 275 gallon totes for dewatering wastewater sludge with an inclined screw press. Polymer must be dispersion quality.
 Deliveries are to be made within 24 to 48 hours of order unless otherwise directed by the City.
Supplier must guarantee there will be no separation of the oil/polymer for a minimum of six months.

NOTE: Jar testing prior to bid opening is required for any new polymer. Free trial (minimum of one 55 gallon drum for demonstration) must be supplied prior to the award of the bid. Award will be based on total cost per dry ton and

**Bid Specifications
Annual Chemical Bid
(continued)**

percent capture rate. New polymer must demonstrate the same or better performance than the current polymer in use.

(iii)

Estimated quantity 1,375 gallons per year
Delivery Location: Water Treatment Plant - Madbury
Description: De-Watering Polymer
 Polymer is to be supplied in 275 gallon totes for dewatering water treatment residuals. Product must be NSF 60 Approved for use in drinking water treatment. Product type must be Praestol K110 or equal*. Deliveries are to be made within 24 to 48 hours of order unless otherwise directed by the City.
 All deliveries must be made between 7:30am and 2:00pm, Monday through Friday.

***NOTE: Jar testing prior to bid opening is required for any new polymer. Free trial (minimum of one 55 gallon drum for demonstration) must be supplied prior to the award of the bid. Award will be based on total cost per dry ton and percent capture rate. New polymer must demonstrate the same or better performance than the current polymer in use.**

NOTE: All unused trial chemicals and their containers must be removed from the test site, at no cost to the City, within 10 business days of a current trial or past trials. Failure to remove trial chemicals and their containers may subject a vendor to disqualification.

12) Liquid Ortho-Poly Phosphate Blend

Estimated Quantity: 7,500 gallons per year
 1,000- 1,500 gallons per month
Delivery Location: Water Treatment Plant - Madbury
Description: Liquid Ortho-Poly Phosphate Blend
 Product must be certified for use in potable water by the NSF, approved for use in potable water supplies by the USEPA, and comply with the USDA Guide Requirements for use in a public water supply. Product must be a true blend of Poly (Meta, Pyro, Tripoly) and Ortho phosphate. Shall have a minimum total phosphate (as PO4) percent by weight of 36%. Shall have a minimum total active complex phosphate (Meta, Pyro, Poly, etc.) content of 18% (+1%) by weight. Shall have a maximum total orthophosphate content of 18% (+1%) by weight. Shall have a pH range between 1.0 and 5.0 and not have any injurious effect on personnel handling the phosphate. Shall have a specific gravity of between 1.3 and 1.4. Shall have the capability to sequester iron and manganese over a broad temperature and pH range. Shall be able to prevent deposition as well as remove existing scale deposits without causing any deleterious effects to the water supply system. Shall provide effective corrosion inhibition without the presence of zinc on both ferrous and non-ferrous surfaces. Shall be liquid and easily applied via existing diaphragm metering pumps. The product shall be 11.4 pounds per gallon. All deliveries must be received within 48 hours of order being placed.
 All deliveries must be made between the hours of 7:30am and 2:30pm, Monday through Friday. Consisting of delivery of 1,000 gallons bulk.

**Bid Specifications
Annual Chemical Bid
(continued)**

The delivery vehicle shall have a compressor, and be equipped to provide the off-loading on-site to an at grade location as directed by WTP personnel.

13) Polyaluminum Chloride

Estimated Quantity: 100,000 gallons per year
3,000 to 4,000 gallons per order
Delivery Location: Water Treatment Plant – Madbury
Description: Polyaluminum Chloride

Product must meet or exceed the current American Water Works standard for Polyaluminum Chloride. Product must also be certified under ANSI/NSF standard 60-Drinking Water Treatment Chemicals. The manufacturer and all intermediate vendors, if any, taking custody of the product must have ANSI/NSF Standard 60 certification for product from the National Sanitation Foundation (NSF). Without proof of current certification accompanying the bid, the proposal shall be considered unresponsive.

The product shall be manufactured to meet the following specifications:

%AL²O³: 10.5 – 10.7,

%Basicity: 69 - 72, and

Specific Gravity: 1.26-1.27.

Deliveries will be approximately 3,000 to 4,000 gallons per order, made to an above ground tank. Deliveries will be made in dedicated tank trucks used exclusively for the shipment of Polyaluminum Chloride. All deliveries must be received within 48 hours of order being placed. Delivery truck will require a compressor. Deliveries must be made between the hours of 7:30am and 2:00pm Monday through Friday.

PRE-QUALIFICATION:

Bids will be accepted only from bidders who pre-qualified prior to the bid based on in plant testing. At this time PC-H180 as manufactured by Holland Company is the only pre-qualified product based on successful use at the filtration plant.

In order to become pre-qualified vendors shall:

- 1) Conduct bench scale jar testing on-site prior to full scale plant testing using jar test protocols while being observed by city lab personnel. Any product bench tested shall provide results equivalent to the PC-H180 to warrant further consideration of the product. Parameters tested must include turbidity, color, pH and TOC.
- 2) Provide a sufficient amount of product in 275-gallon tote containers for full scale in plant testing at no charge to the city. The vendor shall also provide personnel and feed pumping equipment for the duration of the test at no charge to the city.
- 3) Conduct two full- scale in plant tests. The first test, 14 consecutive days in length, shall be conducted during warm water temperatures in August. The second test, 14 consecutive days in length shall be conducted during cold water temperatures in February.
- 4) The city reserves the right to discontinue either bench or full scale testing at any time. The city shall be the sole interpreter of the test results.

**Bid Specifications
Annual Chemical Bid
(continued)**

14) Ammonium Hydroxide

Estimated quantity	10,000 gallons per year
Delivery locations	Pease Wastewater Treatment Plant
Description	Ammonium Hydroxide Solution (NH₄OH) Molecular Weight: 35.06 Specific gravity: 0.896 g/cm³ Weight of solution: 7.47264 lbs/gal Weight of Ammonia per gallon: 2.24 lb. NH₃-N per gallon. Solution is 19% ammonia by weight. pH 11.6 SU @ 77 degrees F. Solubility in water: complete. 2,000 gallon deliveries to a 3,150 gallon above ground tank. Deliveries will require the use of a compressor. All deliveries must be received by noon, Monday through Friday.

15) Sodium Chloride

(i)	
Estimated quantity:	16,000 pounds per year
Delivery locations:	Delivered in 40 lbs bags
Description:	Minimum delivery of 40 bags per pallet Pierce Island Wastewater Treatment Plant Sodium Chloride, 95.5% pure salt for water softeners. The salt shall be manufactured by Morton or equivalent and must contain a rust inhibitor. The delivery vehicle shall be equipped to provide the offloading on-site. All deliveries must be received by noon, Monday through Friday.
(ii)	
Estimated quantity:	4,800 pounds (3 pallets) per year
Delivery locations:	Delivered in 40 lbs bags
Description:	Minimum delivery of 40 bags per pallet Pease Wastewater Treatment Plant Sodium Chloride, 95.5% pure salt for water softeners. The salt shall be manufactured by Morton or equivalent and must contain a rust inhibitor. The delivery vehicle shall be equipped to provide the offloading on-site. All deliveries must be received by noon, Monday through Friday.

**Bid# 40-24
Annual Chemical Bid
Bid Price Proposal Form (1 of 3)**

- 1) 25% Caustic Soda**
 - (i) 2,000 to 4,000 gallon delivery (WTP-M) \$ _____/gal.
 - (ii) 2,000 gallon delivery (WWTP-PI) \$ _____/gal.

- 2) 25% Hydrofluosilic Acid (WTP-M)** \$ _____/gal.

- 3) 97% Sodium Fluoride –**
Granular/Particulate (WTP-P) \$ _____/lb.

- 4) Liquid Sodium Hypochlorite**
 - (i) 5 gallon drum delivery (MI) \$ _____/gal.
 - (ii) 55 gallon drum delivery (OSP) \$ _____/gal.
 - (iii) 1,600 gallon delivery (WTP-M) \$ _____/gal.
 - (iv) 5,000/6500 gallon delivery (WWTP-PI) \$ _____/gal.
 - (v) 3,500 gallon delivery (WWTP-P) \$ _____/gal.
 - (vi) 800 gallon delivery (Newington Booster Station) \$ _____/gal.
 - (vii) 100 gallon delivery (WTP-P) \$ _____/gal.

- 5) Hydrochloric Acid**
 - (i) 55 gallon drum delivery (OSP) \$ _____/gal.

- 6) Sodium Bisulfite**
4,000 gallon delivery (WWTP-PI) \$ _____/gal. (one price)
(WWTP-P) split delivery

- 7) Powdered Activated Carbon (WTP-M)** \$ _____/lb.

- 8) Potassium Permanganate**
 - (i) 320 lb. drum (WWTP-PI) \$ _____/lb.

- 9) Sodium Permanganate**
 - (i) 275 gallon IBC delivery (WWTP-PI) \$ _____/gal.
 - (ii) 275 gallon IBC delivery (WWTP-P) \$ _____/gal.

- 10) Accu-Tab Briquette (MI/OSP/SP)** \$ _____/lb.

- 11) De-Watering Polymer**
 - (i) 275 gallon tote delivery (WWTP-P) \$ _____/gal.
 - (ii) 275 gallon tote delivery (WWTP-PI) \$ _____/gal.
 - (iii) 275 gallon tote delivery (WTP-M) \$ _____/gal.

- 12) **Liquid Ortho-Poly Phosphate Blend** (WTP-M) \$ _____ /gal.
- 13) **Polyaluminum Chloride** (WTP-M) \$ _____ /gal.
- 14) **Ammonium Hydroxide** (WWTP-P) \$ _____ /gal.
- 15) **Sodium Chloride** (WWTP-PI)
 - (i) Pallets of 40 lb. bags (WWTP-PI) \$ _____ /lb.
 - (ii) Pallets of 40 lb. bags (WWTP-P) \$ _____ /lb.

WTP-M (Water Treatment Plant – Madbury)
 WTP-P (Water Treatment Plant – Pease)
 WWTP-PI (Wastewater Treatment Plant – Peirce Island)
 WWTP-P (Wastewater Treatment Plant – Pease)
 NBS – (Newington Booster Station) Portsmouth
 MISP (Municipal Indoor Swimming Pool)
 MI/OSP (Municipal Indoor/Outdoor Swimming Pool)
 SP (Spinnaker Point Adult Recreation Indoor Pool)
 PWD (Public Works Department)

**Bid# 40-24
Annual Chemical Bid
Bid Price Proposal Form (3 of 3)**

The undersigned agrees that undersigned on behalf of Bidder has read the bid proposal documents, including the instructions to bidders, terms of award and bid specifications and agrees to the terms and conditions set forth therein. Bidders understand that quantities are estimates only and the City shall purchase only those quantities actually needed.

At all times the undersigned agrees to maintain insurance coverage as described in Exhibit A. The City reserves the right to request insurance certificates demonstrating proof of coverage. The undersigned also agrees that Bidder will indemnify the City against all suits, claims, judgments, awards, loss, cost or expense (including without limitation attorneys' fees) arising in any way out of the Bidder's performance of its obligation under this award. Bidder will defend all such actions with counsel satisfactory to the City at its own expense, including attorneys' fees, and will satisfy any judgment rendered against the City in such action.

Bidder further agrees that this bid is not made jointly or in conjunction, cooperation or collusion with any person, firm, corporation or other legal entity.

Bidder agrees no officer, agent or employee of the Owner is directly or indirectly interested in this Bid.

Submitted by: _____
(Print Name & Title)

Signature: _____

Date: _____

Company: _____

Address: _____

City/State/Zip: _____

Telephone: (_____) _____

Fax No: _____

CONTACT NAME FOR ORDERING

PURPOSES: _____

Sales Department Email Address: _____

General Email Address: _____

EXHIBIT A INSURANCE REQUIREMENTS

General

Insurance shall be in such form as will protect the Contractor from claims and liabilities for damages for bodily injury, including accidental death, and for property damage, which may arise from operations under this award whether such operation by himself or by anyone directly or indirectly employed by Contractor.

At a minimum, the Contractor shall purchase and maintain, during the term of the award, insurance of the limits and types specified below:

- A) Commercial General Liability:
 Bodily injury or Property Damage -- \$1,000,000/\$2,000,000
 Single Limit/aggregate
- B) Automobile and Truck Liability:
 Bodily Injury or Property Damage -- \$2,000,000
 Combined Single Limit
- C) Workers Comprehensive Insurance coverage for all people employed by the contractor to perform work on this project. This insurance shall, at a minimum, meet the minimum requirements of the most current laws of the State of New Hampshire.
- **Coverage requirements may be satisfied by an excess/umbrella policy.**
 - **Contractor shall obtain and maintain such pollution riders and additional policies as may be necessary to insure against risks specifically related to the transportation and delivery of chemicals. Coverage for pollution related events should be a minimum of \$1,000,000.00.**

Evidence of Insurance

As evidence of insurance coverage, the City may, in lieu of actual policies, accept official written statements from the insurance company certifying that all the insurance policies specified above are in force for the specified period. The Contractor shall submit evidence of insurance to the City upon request. Written notice shall be given to the City of Portsmouth, New Hampshire at least thirty (30) days prior to cancellation or non-renewal of such insurance coverage.

Additional Insured.

The City of Portsmouth shall be named as an additional insured: City of Portsmouth, Attn: Legal Department, 1 Junkins Avenue, Portsmouth NH.

The Contractor's insurance shall be primary in the event of a loss.