Native Plants for New England Rain Gardens

This plant list includes native plant species and cultivars that are adaptable, available, and have been widely successful in our northern New England region. It is a place to begin, but it is not intended to be a comprehensive list of all plants that may be used in rain gardens. Plant enthusiasts may want to consult other resources and try new plants on their own, but those who want a "Tried and True" list of plants to choose from may find all that they need right here. We use natives because rain gardens may border natural areas and we want to avoid introducing new non-native plants into the environment.

Developed by:

Cathy Neal, UNH Cooperative Extension Lisa Loosigian, NHDES Soak Up the Rain NH Jillian McCarthy, NHDES Soak Up the Rain NH

PLANT LIST KEY



Full Sun Exposure



Partial Sun Exposure





Attracts bees



Attracts butterflies



Attracts birds



Attracts hummingbirds

Soil Moisture Preference:







RAIN GARDEN PLANTING ZONE

The plant list identifies the ideal rain garden planting zone for each plant (characterized by soil moisture).

BASE: Periodic or frequent standing water may keep the root zone wet for several days at a time. After the initial establishment period, Base Zone plants should also be tolerant of dry periods up to two weeks during the growing season.

SLOPE: Periodically saturated soils during larger storms. Plants in the Slope Zone can help to protect against erosion once established. Shallow residential rain gardens may not have a definitive slope zone.

BERM: Drier soils, infrequently subject to inundation or saturation. This zone may be a raised berm or simply the perimeter of the rain garden. Plants should be quite drought tolerant and blend into the existing landscape of the site.

OTHER CONSIDERATIONS

Exposure - Plants are adapted to either full sun (≥ 6 hours of direct sunlight), partial sun (3-6 hours of direct sunlight), or full shade (≤ 3 hours of direct sunlight). Consider that some areas of the garden may be sunny and some made be shady and that the exposure may change throughout the seasons.

Soil Moisture - Clay soils tend to stay wet for longer periods than sandy, well-drained soils. There is also variation in soil moisture between the rain garden planting zones. Use the soil moisture preferences to choose plants that tolerate the conditions in your rain garden and to place them in the proper zone.

Plant Spacing - Mature size is given as a range because it varies greatly depending on cultivars and environment. The height and spread (width) of each plant is listed. Space plants to allow them to grow to their full size. Consider placing taller plants in the center or back of the garden with shorter plants layered under or in front of them. Ground covers work well on the berm.

Bloom Period & Color - Consider how different colored flowers will complement each other in the garden. Select plants with early, middle, and late season blooms to provide interest and support pollinators throughout the season.

USDA Hardiness Zone - The USDA Plant Hardiness Zone is the standard used to indicate which plants can survive the winter based on the average annual minimum winter temperature for a given location. New England hardiness zones range from 3 in the northern parts of the region to 7 in the southern and coastal areas.

This project was funded, in part, with Clean Water Act Section 319 funds from the US Environmental Protection Agency, and by National Oceanic and Atmospheric Administration's Office for Coastal Management under the Coastal Zone Management Act in conjunction with the NHDES Coastal Program and with assistance from the University of New Hampshire Cooperative Extension.











References:

Go Botany, https://gobotany.newenglandwild.org/, 2016.

Dirr, Michael A. (2011). Dirr's Encyclopedia of Trees and Shrubs. Portland, Oregon: Timber Press.

Lady Bird Johnson Wildflower Center. https://www.wildflower.org/. 2016.

North Creek Nursery, http://www.northcreeknurseries.com/, 2016.

USDA Plants Database, http://plants.usda.gov/java/, 2016.

			n Gar Zone		Jre	osure		Bloc	om F Cc	Pericolor	od &		Matui	re Size	iρ	to:	
	Scientific Name Common Name	Base	Slope	Berm	Soil Moisture	Light Exposure	May	June	July	Aug	Sept	Oct	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
PERENNIALS																	
Copporative Extension	Aquilegia canadensis Red columbine		•	•	\(\lambda \)	<u></u>	•						1-2.5'	1'	3-8	**************************************	Reseeds freely in the garden.
Control Cartine Extension Cooperative Extension	Asclepias incarnata Swamp milkweed	•			\(\)	禁坐							3-6'	2'	3-9	***	Forms attractive pods which split and release hairy white seeds. Monarch larval host.
Cathy Neal, UNH Cooperative Extension	Asclepias tuberosa Butterfly milkweed			•	\delta	**							1-3'	1-1.5'	4-9	%	Does not like wet feet - keep on dry berm. Monarch larval host.
Pixabay	Caltha palustris Marsh marigold	•			•	₩							0.5-1'	1-1.5'	3-7	ځ	Provides bright yellow color early in spring before anything else blooms, then goes dormant in summer.
©Donald Cameron, 2015	Chelone glabra White turtlehead	•			•	業 登							1-4'	1-2'	4-8	36	Larval host for Baltimore Checkerspot bufferly.
©Jason Sachs, 2015	Eupatorium perfoliatum Common boneset	•			•	淡							2-4'	2'	2-10	%	Prefers soil with a significant amount of organic matter.

			Gara Zone	den	Jre	osure		Bloc	om F Cc		od &		Matui	e Size	-ip	to:	
Scientific Nar Common Na		Base	Slope	Berm	Soil Moisture	Light Exposure	Мау	June	July	Aug	Sept	Oct	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
PERENNIALS																	
Eutrochium Eupatorium) purpureum Sweet Joe Py		•			•	禁坐							3-6'	3'	3-8	*	Popular cultivars include 'Gateway' (6' tall) and 'Little Joe' (3' tall). Other Eutrochium species are also suitable.
Gentiana cla Closed gentia Meadow bot gentian	an or	•			•	禁业							1-3'	1-2'	3-8	*	True blue flowers never fully open. Good understory plants.
Geranium maculatam Spotted cran	e's bill			•	\(\)	₩				•	•		1'	1-1.5'	4-8	*	Geraniums come in many species and cultivars. 'Spessart' is a popular cultivar with pink early summer bloom. 'Rozanne' is a blue, late summer bloom.
Wathur Hoines, New authur Hoines		•			•	*							2-5'	3'	3-8	%	Orange and red- colored cultivars available.
Ochiv Nea, UNH Cooperative Evension Blue iris or Blue		•			•	禁坐		•					2-3'	2-3'	2-7	*	Sturdy plant with thick rhizomes. Great choice for placing near the rain garden inlet and outlet.
Compelia card Cardinal flow		•			•	☆ ☆ ☆ ☆ 公							2-4'	2'	3-8	%	Lobelia will often reseed itself and migrate in the garden.

			n Gar Zone		Jre	osure		Bloc	om F Cc		od &		Matui	re Size	<u>.</u>) to:	
Scientific Na Common No		Base	Slope	Berm	Soil Moisture	Light Exposure	May	June	July	Aug	Sept	Oct	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
PERENNIALS Weathor Hailes, New York Society S		•			\(\)	************************************							1.5-5'	1-1.5'	4-8	*	Excellent for damp, clay soil.
Monarda fis Beebalm or V bergamot			•		\(\)	禁坐							4-5'	3'	3-8	%	There are many attractive cultivars of Monarda in a variety of colors. Powdery mildew is common, but not especially harmful.
Penstemon Foxglove beardtongue	_	•	•	•	\Lambda	禁坐							2-4'	1.5'	3-8	*	Reseeds freely.
Rudbeckia laciniata Green-head Cutleaf cone		•	•		\Lambda	禁坐			•	•	•		3-6'	3-4'	3-9	ॐ	Spreads vigorously from underground rhizomes. Other Rudbeckias are also commonly used.
Symphyotric (formerly Astonovae-angle New England	er) liae	•	•		\Lambda	**				•	•	•	2.5-6'	2-3'	4-8	%	Nectar source for Monarchs. Important pollinator plant in late fall.
Symphyotric (formerly Astenovi-belgii New York Anaster	er)	•			•	**				•	•	•	2.5-6'	3'	4-8	***	'Purple Dome' is a popular, compact variety (1.5 - 2' tall and slightly wider); purple with orange center flowers.

		n Gar Zone		Jre	sure		Bloc		Perio	od 8	(Matu	e Size	i ,	: ot	
Scientific Name Common Name	Base	Slope	Berm	Soil Moisture	Light Exposure	May	June	July	Aug	Sept	Oct	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
PERENNIALS & GRASSES																
Verbena hastata Blue vervain or Swamp verbena	•			\(\)	禁坐					•		2-5'	2-3'	3-9	*	Tends to be tall and narrow: pinch the tops off to encourage branching and bushier growth.
Vernonia noveboracensis New York ironweed	•			\(\)	**				•	•		4-6'	2-4'	5-8	%	Good nectar source for Monarch butterflies.
Zizia aurea Golden alexanders	•	•		\(\)	禁丝							1-2'	3-4'	4-9	**	Good choice for heavy, clay soils.
Panicum virgatum Switchgrass or Panic grass		•	•	\(\)	禁坐				V	¥	¥	3-6'	2'	2-9	%	Caution - may spread by seed. Dotted Skipper larval host. Many new varieties available.
Schizachyrium scoparium Little bluestem			•	\(\)	**			V	V	¥	¥	2-3'	1'	3-8	%	Best suited for berm. Brown, bronze red in fall. Caution - may spread by seed.
Sorghastrum nutans Indian grass		•	•	•	**				¥	V	¥	5-7'	2'	2-9	%	Caution - may spread by seed.

		n Gar Zone		J. G.	osure	ВІс	om	Per		, Co tere	olor, : est	Sea	son	of	Matui	re Size	<u>-</u>	e to:	
Scientific Name Common Name	Base	Slope	Berm	Soil Moisture	Light Exposure	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
SHRUBS Aronia arbutifolia Red chokeberry	•	•		O	禁坐								•	•	6-10'	3-5'	4-9	ځ	'Brilliantissima' is good for fall color. Red berries in fall. Small white flowers in spring. Prefers acidic soil.
Cephalanthus occidentalis Buttonbush	•			&	禁坐										3-6'	3-6'	3-9	₩	Does best with consistently moist soil.
Clethra alnifolia Summersweet or Sweet pepper bush	•	•		•	禁坐						<u> </u>				4-8'	4-6'	4-9	**	Many cultivars available. Prefers acidic soil.
Comptonia peregrina Sweet fern			•	٥	禁坐		•								2-4'	4-8'	2-6	%	Leaves fragrant when crushed. Prefers acidic soil.
Hamamelis virginiana Common witch-hazel	•	•		•	禁坐										20-25'	20-25'	3-8	>	Yellow leaves in fall. Spreads by suckering.
Ilex verticillata Common winterberry	•			•	禁丝									•	4-12'	4-12'	3-9	%	Red berries in winter. Plant a compatible male pollinator. Prefers acidic soil.

	Rai	n Gar Zone		Le	osure	Blo	oom	ı Per	riod, Int	Col ere:		Seas	son	of	Matui	re Size	i j	to:	
Scientific Name Common Name	Base	Slope	Berm	Soil Moisture	Light Exposure	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
SHRUBS																			
Morella (formerly Myrica) caroliniensis Small bayberry		•	•	٥	禁坐		•					•	•	•	5-10'	5-10'	2-9	١	Small, fragrant, waxy berries.
Physocarpus opulifolius Common ninebarr or Eastern ninebarr		•	•	\(\)	禁丝										5-8'	4-6'	2-8	*	Purple-leaved cultivars are popular. Tolerates clay soils.
Rhus aromatica Fragrant sumac		•	•	٥	禁坐						•	•			2-6'	6-10'	3-9	**************************************	Use 'Gro-lo' only, as others are too large. Prefers acidic soil.
Swida (formerly Cornus) amomun Silky dogwood	n •	•		•	禁丝						•				6-12'	6-12'	4-8	ځ	Clusters of blue berries in summer.
Swida (formerly Cornus) racemos Gray dogwood	a •			•	禁坐										4-15'	10-15'	4-8	%	Creamy, white flowers and berries in late summer. Spreads by suckering.
Swida (formerly Cornus) sericea Redosier dogwood	•			\(\)	禁坐	•								•	6-10'	6-10'	3-8	%	Prune old stems out to encourage young, red stems the next winter.

		n Gar Zone		Jre	osure	Blc	oom	Per		, Co tere		Sea	son	of	Matui	re Size	i p	to:	
Scientific Name Common Name	Base	Slope	Berm	Soil Moisture	Light Exposure	Mar	Apr	Мау	June	July	Aug	Sept	Oct	Nov	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
SHRUBS																			
Vaccinium angustifolium Lowbush blueberry	•	•		\(\)	☆ ※ ※ ※ ※						•		•		0.5-2'	2'	2-5	ॐ	Does well in acidic, poor soil. Small blueberries. Burgundy fall foliage.
Vaccinium corymbosum Highbush blueberry	•	•		•	禁坐					•	•	•	•		6-12'	8-12'	3-7	*	Prefers acidic soil. Large blueberries and good fall color.
Viburnum dentatum Arrowwood		•		٥	禁坐			•				•	•		6-9'	6-15'	3-8	₩	Attractive flowers and berries. Susceptible to Viburnum leaf beetle.
Pagara Wildlower Society Natural Haires, New Find Society Wildlower Society Natural Hair Soci	•	•		O	禁坐							•	•	•	14-16'	6-12'	2-8	%	Berries eaten by many species of birds and wildlife.
Viburnum opulus Cranberrybush		•		٥	禁丝							•	•	•	8-12'	10-15'	3-8	*	Attractive flowers and berries. Susceptible to Viburnum leaf beetle.

		n Gar Zone		ure	osure	Blo	oom	Per		, Co tere		Sea	son (of	Matui	e Size	<u>.</u>	. to:	
Scientific Name Common Name	Base	Slope	Berm	Soil Moisture	Light Exposure	Mar	Apr	Мау	June	July	Aug	Sept	Oct	Nov	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
FERNS																			
Athyrium angustum Northern lady fern	•			•	₩										1-2'	1'	3-8		Hybrids equally suitable.
Dryopteris marginalis Marginal wood fern		•	•	\delta	₩										1-3'	1.5'	3-8		Leathery, blue-green.
Matteuccia struthiopteris Ostrich fern	•			•	<u>پپ</u> د										3-6'	2.5'	3-8		Large, arching fronds.
Onoclea sensibilis Sensitive fern	•			•	₩										2-3'	1.5'	2-10	ځ	Spreads easily to form large colonies.
Osmunda claytoniana Interrupted fern		•		6	₩										3-4'	3'	2-8		Best in acidic soil with consistent moisture.
Page Natura Haines, New Allation Wildlower Society Royal Ferning Royal F	•			•	<u>پپ</u>										3-6'	1.5'	3-10		

		n Gar Zone		Jre	osure	Blc	om	Per		. Co tere		Seas	on c	of	Matur	e Size	ip (. to:	
Scientific Name Common Name	Base	Slope	Berm	Soil Moisture	Light Exposure	Mar	Apr	Мау	June	July	Aug	Sept	Oct	> NO N	Height (feet)	Spread (feet)	USDA Hardi- ness Zone	Attractive to:	Plant Notes
FERNS																			
Osmundastrum cinnamomeum Cinnamon fern	•			\Delta	<u>**</u>										3-5'	3'	2-10	ک	Large, grows in clumps.
RUSHES & SEDGES																			
Carex pensylvanica Pennsylvania sedge		•	•	٥	₩		W	\	V						0.5-1'	0.5'	4-8	_	
Carex stricta Tussock or Upright sedge	•			•	*************************************			₩	V						2-3'	1'	5-8	%	Eyed Brown larval host.
Carex vulpinoidea Common fox or Fox sedge	•			•	*************************************			₩	V						1-3'	1.5'	3-7		Red, brown fruit.
Juncus effusus Common or Soft rush	•	•		•	禁业			\	V	₩					6.5'	1'	2-9	مح	Tolerant of diverse conditions. Thrives in full sun, finely textured soils.